Cumulative Index

Alloy Systems (Evaluations, and Comments and Addenda)

For Vol. 1, No. 1 and 2; Vol. 2, No. 1, 2, 3, and 4; Vol. 3, No. 1, 2, 3, and 4; Vol. 4, No. 1, 2, 3, and 4; Vol. 5, No. 1, 2, 3, 4, 5, and 6; Vol. 6, No. 1, 2, 3, 4, 5, and 6; and Vol. 7, No. 1, 2, 3, 4, 5, and 6.

An asterisk(*) indicates that phase diagrams in both atomic and weight percent are included in the tear-out section of the *Bulletin*.

Unary Systems

Ce..... *BAPD 2*(2) 233-234, 4(1) 27
Co*.....*BAPD 4*(4) 387-390, 420
Fe*... *BAPD 3*(2) 161-165, 224; 4(1) 27
H.....*BAPD 2*(3) 362-366
Mn .....*BAPD 2*(1) 113-114
V.....*BAPD 2*(1) 40-41, 2(2) 172
Zr ..... *BAPD 3*(1) 28

Binary Systems

Ac-Cr*.....*BAPD 6*(5) 413-414
Ac-Mo.....*IAEA No. 7* 200-202
Ag-Al* ..... *BAPD 1*(1) 36-41, *1*(2) 23
Ag-Au*... *BAPD 1*(2) 45-47, *4*(1) 30-38
Ag-Bi*.....*BAPD 1*(2) 62-64
Ag-Ce* .....*BAPD 6*(5) 439-443
Ag-Co* .....*BAPD 7*(3) 259-263
Ag-Cs .....*BAPD 7*(3) 222-223
Ag-Cu*..... *BAPD 1*(1) 41-45, *1*(2) 23
Ag-Dy*.....*BAPD 6*(1) 15-17
Ag-Er* .....*BAPD 6*(1) 17-19
Ag-Eu*.....*BAPD 6*(1) 19-21
Ag-Fe* .....*BAPD 5*(6) 560-564
Ag-Gd*.....*BAPD 6*(2) 138-140
Ag-Ge* .....*BAPD 1*(2) 47-51
Ag-Ho* .....*BAPD 6*(2) 140-141
Ag-Ir* .....*BAPD 7*(4) 359-360
Ag-K .....*BAPD 7*(3) 223
Ag-La* .....*BAPD 4*(4) 370-374
Ag-Li*.....*BAPD 7*(3) 223-228
Ag-Lu* .....*BAPD 4*(4) 374-375
Ag-Mg*.....*BAPD 5*(4) 348-358
Ag-MM.....*BAPD 4*(4) 364-366
Ag-Mo.....*IAEA No. 7* 202-204
Ag-Na*.....*BAPD 7*(2) 133-136
Ag-Nd*.....*BAPD 6*(1) 21-23
Ag-Os* .....*BAPD 7*(4) 360-362
Ag-Pb* ... *BAPD 1*(2) 56-59, *2*(1) 81-83
Ag-Pr* .....*BAPD 6*(1) 23-26
Ag-Rb .....*BAPD 7*(1) 19
Ag-RE..... *BAPD 4*(4) 364-370, *5*(1) 21
Ag-Rh*.....*BAPD 7*(4) 362-365
Ag-Ru*.....*BAPD 7*(4) 365-368
Ag-S*.....*BAPD 7*(3) 263-269
Ag-Sc*.....*BAPD 4*(4) 375-377
Ag-Sm*.....*BAPD 6*(2) 142-143
Ag-Tb* .....*BAPD 6*(2) 144-145
Ag-Ti*.....*BAPD 4*(2) 178-183
Ag-Tm* .....*BAPD 6*(2) 146-147
Ag-V .....*BAPD 2*(3) 343-344
Ag-Y* .....*BAPD 4*(4) 377-379
Ag-Yb* .....*BAPD 6*(2) 147-149
Al-Ag* ..... *BAPD 1*(1) 36-41, *1*(2) 23
Al-As*.....*BAPD 5*(6) 577-579
Al-Au* ..... *BAPD 2*(1) 70-75, *2*(2) 172
Al-Ba*.....*BAPD 2*(3) 351-353
Al-Be*....*BAPD 1*(1) 49-50, *4*(1) 50-55, *4*(2) 145, *4*(3) 248
Al-Bi* ..*BAPD 1*(1) 54-56, *5*(3) 247-250
Al-Cd*..*BAPD 1*(1) 60-62, *3*(2) 172-177
Al-Ce.....*BAPD 2*(2) 224-225
Al-Cu.....*BAPD 1*(1) 27-33, *1*(2) 23, *IMR 30*(5) 211-233
Al-Ga.....*BAPD 4*(2) 183-190, *5*(1) 21
Al-Gd* .....*BAPD 2*(2) 215-217
Al-Ge*..... *BAPD 1*(1) 65-68, *5*(4) 341-347, *6*(2) 111-113
Al-Hg* .....*BAPD 6*(3) 219-222
Al-Ho* .....*BAPD 2*(2) 217-219
Al-In* ..*BAPD 1*(1) 73-76, *4*(3) 271-278
Al-La*.....*BAPD 2*(2) 219-221
Al-Li* .....*BAPD 2*(3) 353-356, *3*(2) 177-183, *5*(1) 21 ad, 19-21 co
Al-Mg* .....*BAPD 3*(1) 60-74
Al-Mo .....*BAPD 1*(2) 71-75
Al-N*.....*BAPD 7*(4) 329-333
Al-Na* .....*BAPD 4*(4) 407-410
Al-Nb* .....*BAPD 2*(1) 75-81
Al-O*.....*BAPD 6*(6) 548-553
Al-P*.....*BAPD 6*(3) 222-224
Al-Pb*.... *BAPD 1*(1) 79-81, *5*(1) 69-73
Al-Pd*.....*BAPD 7*(4) 368-374
Al-Pt*.....*BAPD 7*(1) 47-51
Al-Sb*.....*BAPD 5*(5) 462-465, *7*(6) 522 ad
Al-Sc*....*BAPD 2*(2) 222-223, *2*(4) 442
Al-Si* .....*BAPD 5*(1) 74-84
Al-Sn*..*BAPD 1*(1) 85-87, *4*(4) 410-414
Al-Zn*.....*BAPD 4*(1) 55-73
Am-Cr*.....*BAPD 6*(5) 415-416
Am-Mo .....*IAEA No. 7* 208-209
Ar-Mo .....*IAEA No. 7* 209-210
As-Al*.....*BAPD 5*(6) 577-579
As-Au* .....*BAPD 5*(1) 56-59
As-Ce.....*BAPD 7*(3) 276-277
As-Dy .....*BAPD 7*(3) 277-278
As-Er.....*BAPD 7*(3) 278-279
As-Eu* .....*BAPD 7*(3) 279-283
As-Gd .....*BAPD 7*(4) 340-341
As-Ge* .....*BAPD 6*(3) 250-254
As-Ho .....*BAPD 7*(4) 341-342
As-La.....*BAPD 7*(4) 342-344
As-Lu .....*BAPD 7*(4) 344-345
As-Mg*.....*BAPD 6*(5) 432 434
As-Mo .....*BAPD 1*(2) 76-78
As-Nd* .....*BAPD 7*(4) 345-347
As-Pr.....*BAPD 7*(4) 347-348
As-RE .....*BAPD 7*(3) 274-276
As-Sc.....*BAPD 7*(4) 348-349
As-Si* .....*BAPD 6*(3) 254-258
As-Sm.....*BAPD 7*(4) 349-350
As-Tb.....*BAPD 7*(4) 351
As-Tm.....*BAPD 7*(4) 352
As-Y .....*BAPD 7*(4) 352-353
As-Yb .....*BAPD 7*(4) 353-354
At-Mo .....*IAEA No. 7* 211
Au-Ag*... *BAPD 1*(2) 45-47, *4*(1) 30-38
Au-Al* ..... *BAPD 2*(1) 70-75, *2*(2) 172
Au-As* .....*BAPD 5*(1) 56-59
Au-Ba .....*BAPD 7*(4) 336-337, *7*(6) 522 ad
Au-Be* .....*BAPD 2*(4) 478-479
Au-Bi* .....*BAPD 2*(4) 479-481, *4*(4) 401-407
Au-C* .....*BAPD 5*(4) 378-379
Au-Cd* .....*BAPD 7*(1) 52-67
Au-Co* .....*BAPD 6*(5) 449-454
Au-Cr* .....*BAPD 6*(3) 224-228
Au-Cs* .....*BAPD 7*(1) 19-23
Au-Fe* .. *BAPD 5*(6) 592-601, *6*(6) 516, *7*(6) 522 ad
Au-Ga*.....*BAPD 2*(3) 356-358
Au-Ge* ...*BAPD 1*(2) 51-54, *5*(6) 601-610
Au-H .....*BAPD 6*(4) 365
Au-Hf* .....*BAPD 5*(4) 379-380
Au-IG .....*BAPD 7*(4) 358-359
Au-Ir .....*BAPD 5*(4) 381
Au-K* .....*BAPD 7*(1) 23-25
Au-Li*.....*BAPD 7*(3) 228-231
Au-Mn* .....*BAPD 6*(5) 454-467
Au-Mo*.....*IAEA No. 7* 211-213, *BAPD 7*(5) 449-452
Au-N .....*BAPD 5*(4) 381-382
Au-Na*.....*BAPD 7*(2) 136-139
Au-Nb*.....*BAPD 6*(2) 134-136
Au-Os .....*BAPD 5*(4) 382
Au-P* .....*BAPD 5*(5) 490-491
Au-Pb* .. *BAPD 1*(2) 59-62, *5*(3) 276-284
Au-Pd* .....*BAPD 2*(4) 482-484, *6*(3) 229-235
Au-Po .....*BAPD 5*(4) 382-383
Au-Pt* ... *BAPD 2*(1) 66-70, *6*(1) 46-56
Au-Pu*.....*BAPD 7*(6) 525-528
Au-Rb* .....*BAPD 7*(2) 139-142
Au-Re .....*BAPD 5*(4) 382-383
Au-Rh*.....*BAPD 5* (4) 384-387
Au-Ru*.....*BAPD 5*(4) 388-390
Au-S* .....*BAPD 6*(6) 518-519
Au-Sb* .....*BAPD 5*(2) 166-171
Au-Si*.....*BAPD 2*(3) 359-362, *4*(2) 190-198, *4*(4) 362
Au-Sn* .....*BAPD 5*(5) 492-503, *7*(6) 522 ad

BAPD = Bulletin of Alloy Phase Diagrams, ASM International, Metals Park, OH. *IAEA No. 7 = Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys*, Special Issue No. 7, International Atomic Energy Agency, Vienna (1980). *IMR =International Metals Reviews*, The Metals Society, London, and ASM International, Metals Park, OH. *JAPD = Journal of Alloy Phase Diagrams*, Indian Institute of Metals, Calcutta. *TIIM =Transactions of the Indian Institute of Metals*, Indian Institute of Metals, Calcutta.

Cumulative Index

Au-Sr* ..... *BAPD 7*(5) 452-454
Au-Ta* ..... *BAPD 6*(4) 365-368
Au-Tc ..... *BAPD 5*(4) 390-391
Au-Te* ..... *BAPD 5*(2) 172-177
Au-Th* ..... *BAPD 7*(6) 528-531
Au-Ti* ..... *BAPD 4*(3) 278-283
Au-Tl* .... *BAPD 4*(2) 199-204, *4*(4) 362
Au-U* ..... *BAPD 7*(6) 532-535
Au-V* ..... *BAPD 2*(3) 344-347
Au-W* ..... *BAPD 6*(2) 136-137
Au-Zr* ..... *BAPD 6*(6) 519-522
B-Cr* ..... *BAPD 2*(1) 108-109, *7*(3) 232-237
B-Cu* ..... *BAPD 3*(1) 45-48
B-Ge* ..... *BAPD 5*(5) 476-478
B-Mn ..... *BAPD 2*(1) 109-110, *7*(6) 543-549
B-Mo ..... *IAEA No. 7* 213-217
B-Si* ..... *BAPD 5*(5) 478-484
B-Ti* ..... *BAPD 7*(6) 550-555
Ba-Al* ..... *BAPD 2*(3) 351-353
Ba-Au ..... *BAPD 7*(4) 336-337, *7*(6) 522 ad
Ba-Ca* ..... *BAPD 7*(4) 338-340
Ba-Cr ..... *BAPD 6*(4) 334
Ba-Cs ..... *BAPD 5*(5) 451
Ba-Cu* ..... *BAPD 5*(6) 564-570
Ba-K ..... *BAPD 5*(5) 451
Ba-Li* ..... *BAPD 5*(5) 452-454
Ba-Mg* ..... *BAPD 7*(2) 144-149
Ba-Mo ..... *IAEA No. 7* 217
Ba-Na* ..... *BAPD 6*(1) 26-29
Ba-Rb ..... *BAPD 5*(5) 454
Be-Al* .... *BAPD 1*(1) 49-50, *4*(1) 50-55, *4*(2) 145, *4*(3) 248
Be-Au* ..... *BAPD 2*(4) 478-479
Be-Cd ..... *BAPD 7*(4) 355
Be-Cr* ..... *BAPD 7*(1) 15-18
Be-Cs ..... *BAPD 6*(1) 29-30
Be-Cu .... *BAPD 1*(1) 50-52, *2*(1) 27-28
Be-K ..... *BAPD 6*(1) 30
Be-Li* ..... *BAPD 6*(1) 30-32
Be-Mo ..... *IAEA No. 7* 217-219
Be-Na* ..... *BAPD 6*(1) 32-33
Be-O* ..... *BAPD 6*(6) 553-558
Be-Rb ..... *BAPD 6*(1) 33-34
Be-Tc ..... *BAPD 7*(4) 355-356
Be-W* ..... *BAPD 7*(4) 356-358
Bi-Ag* ..... *BAPD 1*(2) 62-64
Bi-Al* .. *BAPD 1*(1) 54-56, *5*(3) 247-250
Bi-Au* ..... *BAPD 2*(4) 479-481, *4*(4) 401-407
Bi-Cu* ..... *BAPD 1*(1) 57, *5*(2) 148-155
Bi-Ge* ..... *BAPD 7*(6) 535-540
Bi-Mg* ..... *BAPD 6*(6) 528-533
Bi-Mo ..... *IAEA No. 7* 219
Bi-Ni* ..... *BAPD 6*(4) 345-347
Bi-Pa ..... *BAPD 2*(4) 484-485
Bi-Pb ..... *BAPD 1*(2) 67-70
Bi-Si* ..... *BAPD 6*(4) 359-361
Bi-Th ..... *BAPD 3*(1) 96-98
Bi-Ti* ..... *BAPD 5*(6) 610-613
Bk-Mo ..... *IAEA No. 7* 220
Br-Mo ..... *IAEA No. 7* 220-222
C-Au* ..... *BAPD 5*(4) 378-379
C-Ce ..... *BAPD 7*(5) 437-438
C-Dy ..... *BAPD 7*(5) 439-440
C-Er ..... *BAPD 7*(5) 440-442
C-Eu ..... *BAPD 7*(5) 442-443
C-Gd ..... *BAPD 7*(5) 443-445
C-Ge* .... *BAPD 5*(5) 484-486, *6*(4) 325
C-Ho ..... *BAPD 7*(5) 445-446
C-La* ..... *BAPD 7*(5) 446-449
C-Lu* ..... *BAPD 7*(6) 555-556
C-Mo ..... *IAEA No. 7* 222-225
C-Nd ..... *BAPD 7*(6) 557-558
C-Pr ..... *BAPD 7*(6) 558-559
C-RE ..... *BAPD 7*(5) 421-436
C-Sc ..... *BAPD 7*(6)559-560
C-Si* ..... *BAPD 5*(5) 486-489
C-Sm ..... *BAPD 7*(6) 560-562
C-Tb ..... *BAPD 7*(6) 562-563
C-Tm ..... *BAPD 7*(6) 563-564
C-V* ..... *BAPD 6*(2) 115-124
C-Y ..... *BAPD 7*(6) 564-568
C-Yb ..... *BAPD 7*(6) 568-570
Ca-Ba* ..... *BAPD 7*(4) 338-340
Ca-Cr ..... *BAPD 6*(4) 335
Ca-Cs ..... *BAPD 6*(2) 168
Ca-Cu* ..... *BAPD 5*(6) 570-576
Ca-K ..... *BAPD 6*(1)34
Ca-Mo ..... *IAEA No. 7* 225
Ca-Na* ..... *BAPD 6*(1) 35-37
Ca-O* ..... *BAPD 6*(4) 337-342
Ca-Rb ..... *BAPD 6*(1) 37
Ca-Sr* ..... *BAPD 7*(5) 455-457
Cd-Al* .. *BAPD 1*(1) 60-62, *3*(2) 172-177
Cd-Au* ..... *BAPD 7*(1) 52-67
Cd-Be ..... *BAPD 7*(4) 355
Cd-Cu ..... *BAPD 1*(1) 62-63
Cd-Ge* ..... *BAPD 7*(2) 167-169
Cd-Mg* ..... *BAPD 5*(1) 23-30
Cd-Mo ..... *IAEA No. 7* 226
Cd-Np ..... *BAPD 2*(4) 485-488
Cd-Pb* ..... *BAPD 2*(1) 83-86
Cd-Si* ..... *BAPD 6*(6) 534-536
Cd-Ti* ..... *BAPD 4*(4) 399-401
Cd-U* ..... *BAPD 1*(2) 97-99
Cd-Zn* ..... *BAPD 5*(1) 30-36
Ce-Ag* ..... *BAPD 6*(5) 439-443
Ce-Al ..... *BAPD 2*(2) 224-225
Ce-As ..... *BAPD 7*(3) 276-277
Ce-C ..... *BAPD 7*(5) 437-438
Ce-Dy ..... *BAPD 3*(1) 85-86
Ce-Er ..... *BAPD 3*(1) 86-87
Ce-Eu* ..... *BAPD 3*(2) 183-185
Ce-Gd* ..... *BAPD 3*(2) 185-187
Ce-Ho ..... *BAPD 3*(1) 87-88
Ce-La* .... *BAPD 2*(4) 445-447, *3*(1) 26
Ce-Lu ..... *BAPD 3*(1) 88-89
Ce-Mo ..... *IAEA No. 7* 226-227
Ce-Nd ..... *BAPD 3*(1) 90
Ce-Pr* ..... *BAPD 3*(2) 187-188
Ce-Sc* ..... *BAPD 3*(2) 189-190
Ce-Sm* ..... *BAPD 3*(2) 190-192
Ce-Tb ..... *BAPD 3*(1) 90-91
Ce-Tm ..... *BAPD 3*(1) 92
Ce-Y* ..... *BAPD 3*(2) 192-194
Ce-Yb ..... *BAPD 3*(1) 89
Cf-Mo ..... *IAEA No. 7* 227-230
Cl-Mo ..... *IAEA No. 7* 229-230
Cm-Cr* ..... *BAPD 6*(5) 416-417
Cm-Mo ..... *IAEA No. 7* 230-231
Co-Ag* ..... *BAPD 7*(3) 259-263
Co-Au* ..... *BAPD 6*(5) 449-454
Co-Cu* ..... *BAPD 5*(2) 161-165
Co-Fe* ..... *BAPD 5*(3) 250-259
Co-Mo ..... *IAEA No. 7* 231-234
Co-Ni* ..... *BAPD 4*(4) 390-395
Co-Ti* ..... *BAPD 3*(1) 74-85
Co-W ..... *JAPD 2*(1) 43-52
Cr-Ac ..... *BAPD 6*(5) 413-414
Cr-Am* ..... *BAPD 6*(5) 415-416
Cr-Au* ..... *BAPD 6*(3) 224-228
Cr-B* ..... *BAPD 2*(1) 108-109, *7*(3) 232-237
Cr-Ba ..... *BAPD 6*(4) 334
Cr-Be* ..... *BAPD 7*(1) 15-18
Cr-Ca ..... *BAPD 6*(4) 335
Cr-Cm* ..... *BAPD 6*(5) 416-417
Cr-Cs ..... *BAPD 5*(4) 397
Cr-Cu* ..... *BAPD 5*(1) 59-68, *5*(3) 245
Cr-Fe ..... *BAPD 2*(1) 99-100, *2*(3) 299
Cr-Ge* ..... *BAPD 7*(5) 477-485
Cr-Hf* ..... *BAPD 7*(6) 570-573
Cr-K ..... *BAPD 5*(4) 398
Cr-Li ..... *BAPD 5*(4) 399-400
Cr-Mg ..... *BAPD 6*(4), 335-336
Cr-Mn* ..... *BAPD 2*(1) 104-105, *2*(3) 299-300, *2*(4) 439-440, *7*(5) 457-462
Cr-Mo ..... *IAEA No. 7* 234-236
Cr-Na ..... *BAPD 5*(4) 400-401
Cr-Nb* ..... *BAPD 7*(5) 462-466
Cr-Ni* ... *BAPD 2*(1) 100-101, *2*(3) 299, *7*(5) 466-476
Cr-Np* ..... *BAPD 6*(5) 418-419
Cr-Pu* ..... *BAPD 6*(5) 419-421
Cr-Ra ..... *BAPD 6*(4) 336
Cr-Rb ..... *BAPD 5*(4) 402
Cr-Sc* ..... *BAPD 6*(5) 422-423
Cr-Sr ..... *BAPD 6*(4) 336-337
Cr-Tc ..... *BAPD 7*(6) 573-574
Cr-Th* ..... *BAPD 6*(5)423-425
Cr-Ti* ..... *BAPD 2*(2) 174-181
Cr-U* ..... *BAPD 6*(5) 425-429
Cr-V* ..... *BAPD 2*(4) 469-473
Cr-W* .... *BAPD 5*(3) 289-292, *6*(2)111, *TIIM 36*(4/5) xxv-xxix
Cr-Y* ..... *BAPD 6*(5) 429-431
Cr-Zr* ..... *BAPD 7*(3) 237-244
Cs-Ag ..... *BAPD 7*(3) 222-223
Cs-Au* ..... *BAPD 7*(1) 19-23
Cs-Ba ..... *BAPD 5*(5) 451
Cs-Be ..... *BAPD 6*(1) 29-30
Cs-Ca ..... *BAPD 6*(2) 168
Cs-Cr ..... *BAPD 5*(4) 397
Cs-K* ..... *BAPD 4*(4) 379-382
Cs-Mg* ..... *BAPD 6*(1) 37-39
Cs-Mo ..... *IAEA No. 7* 236
Cs-Na* ..... *BAPD 3*(3) 310-313
Cs-Rb* ..... *BAPD 4*(4) 382-384
Cs-Sr ..... *BAPD 6*(1) 39
Cu-Ag* ..... *BAPD 1*(1) 41-45,*1*(2) 23
Cu-Al ..... *BAPD 1*(1) 27-33, *1*(2) 23, *IMR 30*(5) 211-233
Cu-B* ..... *BAPD 3*(1) 45-48
Cu-Ba* ..... *BAPD 5*(6) 564-570
Cu-Be .... *BAPD 1*(1) 50-52, *2*(1) 27-28
Cu-Bi* ..... *BAPD 1*(1) 57, *5*(2) 148-155
Cu-Ca* ..... *BAPD 5*(6) 570-576
Cu-Cd ..... *BAPD 1*(1) 62-63
Cu-Co* ..... *BAPD 5*(2) 161-165
Cu-Cr* ..... *BAPD 5*(1) 59-68, *5*(3) 245
Cu-Ge* ... *BAPD 1*(1) 69-70, *7*(1) 28-35
Cu-Hg* ..... *BAPD 6*(6) 522-527

BAPD = Bulletin of Alloy Phase Diagrams, ASM International, Metals Park, OH. *IAEA No. 7 = Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys*, Special Issue No. 7, International Atomic Energy Agency, Vienna (1980). *IMR =International Metals Reviews*, The Metals Society, London, and ASM International, Metals Park, OH. *JAPD = Journal of Alloy Phase Diagrams*, Indian Institute of Metals, Calcutta. *TIIM =Transactions of the Indian Institute of Metals*, Indian Institute of Metals, Calcutta.

Cu-In..... *BAPD 1*(1) 76-77, *1*(2) 23
Cu-K .....*BAPD 7*(3) 231
Cu-La* .....*BAPD 2*(3) 302-305
Cu-Li*.....*BAPD 7*(2) 142-144
Cu-Mg*.....*BAPD 5*(1) 36-43
Cu-Mo.....*IAEA No. 7* 236-238
Cu-Na*.....*BAPD 7*(1) 25-27
Cu-Nb*.....*BAPD 2*(4) 455-460, *5*(2) 133-134
Cu-O* .....*BAPD 5*(2) 136-140
Cu-Pb* ..... *BAPD 1*(1) 81-82, *5*(5) 503-510, *6*(6) 516, *7*(6) 522 ad
Cu-Rb .....*BAPD 7*(1) 28
Cu-Rh*....*BAPD 2*(4) 460-462, *3*(1) 26
Cu-S*.....*BAPD 4*(3) 254-271
Cu-Se* .....*BAPD 2*(3) 305-315
Cu-Si*.....*BAPD 7*(2) 170-178
Cu-Sn .....*BAPD 1*(1) 87-89
Cu-Sr*....*BAPD 5*(4) 391-396, *6*(6) 516
Cu-Th*.....*BAPD 7*(1) 36-43
Cu-Ti*.....*BAPD 4*(1) 81-95
Cu-Tl*.....*BAPD 5*(2) 156-160
Cu-V* .....*BAPD 2*(3) 348-351
Cu-Y* .....*BAPD 2*(3) 315-319
D-Nb .....*BAPD 4*(1) 39-46
D-V* .....*BAPD 3*(1) 49-54
Dy-Ag*.....*BAPD 6*(1)15-17
Dy-As .....*BAPD 7*(3) 277-278
Dy-C .....*BAPD 7*(5) 439-440
Dy-Ce .....*BAPD 3*(1) 85-86
Dy-Er* .....*BAPD 4*(3) 290-291
Dy-Gd* .....*BAPD 4*(3) 291-292
Dy-Ho*.....*BAPD 4*(3) 293-294
Dy-La .....*BAPD 2*(4) 447-448
Dy-Mo.....*IAEA No. 7* 238-239
Dy-Nd*.....*BAPD 3*(3) 348-350
Dy-Tb .....*BAPD 4*(2) 160
Dy-Y* .....*BAPD 4*(1) 74-75
Er-Ag* .....*BAPD 6*(1) 17-19
Er-As.....*BAPD 7*(3) 278-279
Er-C.....*BAPD 7*(5) 440-442
Er-Ce.....*BAPD 3*(1) 86-87
Er-Dy* .....*BAPD 4*(3) 290-291
Er-Gd* .....*BAPD 4*(3) 294-296
Er-Ho* .....*BAPD 4*(3) 296-297
Er-Lu.....*BAPD 4*(3) 297-298
Er-Mo .....*IAEA No. 7* 239-241
Er-Nd* .....*BAPD 3*(3) 350-351
Er-Sc*.....*BAPD 4*(1) 75-76
Er-Tb*.....*BAPD 4*(3) 298-299
Er-Tm.....*BAPD 4*(3) 299-300
Er-Y*.....*BAPD 4*(1) 77-78
Es-Mo .....*IAEA No. 7* 241
Eu-Ag* .....*BAPD 6*(1) 19-21
Eu-As* .....*BAPD 7*(3) 279-283
Eu-C .....*BAPD 7*(5) 442-443
Eu-Ce* .....*BAPD 3*(2) 183-185
Eu-Ho .....*BAPD 4*(2) 161
Eu-Mo.....*IAEA No. 7* 241
Eu-Sc.....*BAPD 4*(1) 78
Eu-Y .....*BAPD 4*(1) 79
Eu-Yb .....*BAPD 4*(2) 161
F-Mo .....*IAEA No. 7* 241-244
Fe-Ag* .....*BAPD 5*(6) 560-564
Fe-Au* ..*BAPD 5*(6) 592-601, *6*(6) 516, *7*(6) 522 ad
Fe-Co*.....*BAPD 5*(3) 250-259
Fe-Cr.....*BAPD 2*(1) 99-100, *2*(3) 299
Fe-Ir* .....*BAPD 5*(1) 48-52, *5*(2) 134
Fe-Mg*.....*BAPD 6*(3) 235-238
Fe-Mn... *BAPD 2*(1) 106, *2*(3) 299-300, *2*(4) 439-440
Fe-Mo*..... *IAEA No. 7* 244-249, *BAPD 3*(3) 359-367, *4*(1) 28
Fe-Nb* .....*BAPD 7*(3) 248-254
Fe-Ni..... *BAPD 2*(1) 102, *2*(3) 299
Fe-Os*.....*BAPD 4*(4) 396-399
Fe-Rh* .....*BAPD 5*(5) 456-462
Fe-Ru* .....*BAPD 4*(2) 155-160
Fe-Ta*.....*BAPD 7*(3) 254-259
Fe-Ti*.....*BAPD 2*(3) 320-334
Fe-V*.....*BAPD 5*(2) 184-194
Fm-Mo ..... *IAEA No. 7* 249
Fr-Mo ..... *IAEA No. 7* 249
Ga-Al* .... *BAPD 4*(2) 183-190, *5*(1) 21
Ga-Au* .....*BAPD 2*(3) 356-358
Ga-Ge* .....*BAPD 6*(3) 258-262
Ga-Mg*.....*BAPD 6*(5) 434-439
Ga-Mo.....*IAEA No. 7* 249-251
Ga-Pu .....*BAPD 2*(4) 488-490
Ga-Si*.....*BAPD 6*(4) 362-364
Ga-Ti*.....*BAPD 6*(4) 327-330
Ga-V* .....*BAPD 2*(2) 201-209
Gd-Ag* .....*BAPD 6*(2) 138-140
Gd-Al* .....*BAPD 2*(2) 215-217
Gd-As .....*BAPD 7*(4) 340-341
Gd-C .....*BAPD 7*(5) 443-445
Gd-Ce* .....*BAPD 3*(2) 185-187
Gd-Dy* .....*BAPD 4*(3) 291-292
Gd-Er* .....*BAPD 4*(3) 294-296
Gd-Ho* .....*BAPD 4*(3) 300-301
Gd-La* ....*BAPD 2*(4) 448-451, *3*(1) 26
Gd-Lu .....*BAPD 4*(2) 162
Gd-Mo.....*BAPD 1*(2) 78-79
Gd-Nd*.....*BAPD 3*(3) 351-353
Gd-Pr.....*BAPD 3*(2) 195-196
Gd-Sc*.....*BAPD 4*(2) 163-164
Gd-Sm*.....*BAPD 4*(2) 164-167
Gd-Tb* .....*BAPD 4*(3) 301-302
Gd-Y* .....*BAPD 4*(2) 167-168
Gd-Yb*.....*BAPD 4*(3) 303-304
Ge-Ag* .....*BAPD 1*(2) 47-51
Ge-Al*..*BAPD 1*(1) 65-68, *5*(4) 341-347
Ge-As* .....*BAPD 6*(3) 250-254
Ge-Au* ..... *BAPD 1*(2) 51-54, *5*(6) 601-610
Ge-B* .....*BAPD 5*(5) 476-478
Ge-Bi*.....*BAPD 7*(6) 535-540
Ge-C* .....*BAPD 5*(5) 484-486
Ge-Cd* .....*BAPD 7*(2) 167-169
Ge-Cr* .....*BAPD 7*(5) 477-485
Ge-Cu*... *BAPD 1*(1) 69-70, *7*(1) 28-35
Ge-Ga* .....*BAPD 6*(3) 258-262
Ge-In* .....*BAPD 6*(6) 536-539
Ge-Mg*.....*BAPD 5*(4) 359-365
Ge-Mo.....*IAEA No. 7* 253-255
Ge-P*.....*BAPD 6*(3) 262-266
Ge-Pb* .....*BAPD 5*(4) 374-377
Ge-Sb* .....*BAPD 7*(3) 219-222
Ge-Sc*.....*BAPD 7*(6) 540-543
Ge-Si*.....*BAPD 5*(2) 180-183
Ge-Sn* .....*BAPD 5*(3) 265-271
Ge-Tl*.....*BAPD 6*(2) 125-128
Ge-V* .....*BAPD 2*(2) 205-209
Ge-Zn* .....*BAPD 6*(6) 540-543
Ge-Zr*.....*BAPD 7*(1) 43-47
H-Au.....*BAPD 6*(4) 365
H-Mo.....*IAEA No. 7* 255-256
H-Nb*.....*BAPD 4*(1) 39-46
H-U* .....*BAPD 1*(2) 99-106, *2*(2) 172
H-V* .....*BAPD 3*(1) 55-60
He-Mo.....*IAEA No. 7* 256
Hf-Au* .....*BAPD 5*(4) 379-380
Hf-Cr*.....*BAPD 7*(6) 570-573
Hf-Mo .....*IAEA No. 7* 256-259
Hf-Ni*.....*BAPD 4*(3) 250-253
Hf-Ti* .....*BAPD 2*(2) 181-185
Hf-Zr*.....*BAPD 3*(1) 29-34
Hg-Al* .....*BAPD 6*(3) 219-222
Hg-Cu*.....*BAPD 6*(6) 522-527
Hg-Mo.....*IAEA No. 7* 259-261
Hg-U*.....*BAPD 1*(2) 106-108
Ho-Ag*.....*BAPD 6*(2) 140-141
Ho-Al* .....*BAPD 2*(2) 217-219
Ho-As .....*BAPD 7*(4) 341-342
Ho-C .....*BAPD 7*(5) 445-446
Ho-Ce .....*BAPD 3*(1) 87-88
Ho-Dy*.....*BAPD 4*(3) 293-294
Ho-Er* .....*BAPD 4*(3) 296-297
Ho-Eu .....*BAPD 4*(2) 161
Ho-Gd*.....*BAPD 4*(3) 300-301
Ho-La .....*BAPD 2*(4) 451-452
Ho-Mo..... *IAEA No. 7* 260
Ho-Nd.....*BAPD 3*(3) 354-355
Ho-Sc.....*BAPD 4*(1)79-80
Ho-Tb* .....*BAPD 4*(3) 304-305
Ho-Y* .....*BAPD 4*(1) 80-81
I-Mo.....*BAPD 1*(2) 80-81
IG-Au .....*BAPD 7*(4) 358-359
In-Al* ..*BAPD 1*(1) 73-76, *4*(3) 271-278
In-Cu..... *BAPD 1*(1) 76-77, *1*(2) 23
In-Ge*.....*BAPD 6*(6) 536-539
In-Mg* .....*BAPD 6*(2) 149-160
In-Mo.....*IAEA No. 7* 261-263
In-Si*.....*BAPD 6*(2) 128-130
In-V*.....*BAPD 6*(1) 66-68
In-Zn* .....*BAPD 5*(3) 284-289
Ir-Ag* .....*BAPD 7*(4) 359-360
Ir-Au .....*BAPD 5*(4) 381
Ir-Fe* ..... *BAPD 5*(1) 48-52, *5*(2) 134
Ir-Mo.....*IAEA No. 7* 263-265
Ir-Th .....*BAPD 3*(1) 98-99
Ir-Ti*.....*BAPD 3*(2) 205-211
K-Ag .....*BAPD 7*(3) 223
K-Au* .....*BAPD 7*(1) 23-25
K-Ba .....*BAPD 5*(5) 451
K-Be .....*BAPD 6*(1) 30
K-Ca .....*BAPD 6*(1) 34
K-Cr .....*BAPD 5*(4) 398
K-Cs* .....*BAPD 4*(4) 379-382
K-Cu .....*BAPD 7*(3) 231
K-Mg*.....*BAPD 6*(1) 39-41
K-Mo..... *IAEA No. 7* 265
K-Na*.....*BAPD 3*(3) 313-318
K-Rb* .....*BAPD 4*(4) 385-387
K-Sr.....*BAPD 6*(2) 168
Kr-Mo..... *IAEA No. 7* 266
La-Ag* .....*BAPD 4*(4) 370-374
La-Al*.....*BAPD 2*(2) 219-221
La-As.....*BAPD 7*(4) 342-344
La-C*.....*BAPD 7*(5) 446-449
La-Ce* ....*BAPD 2*(4) 445-447, *3*(1) 26
La-Cu* .....*BAPD 2*(3) 302-305
La-Dy .....*BAPD 2*(4) 447-448
La-Gd* ....*BAPD 2*(4) 448-451, *3*(1) 26
La-Ho .....*BAPD 2*(4) 451-452

BAPD = *Bulletin of Alloy Phase Diagrams*, ASM International, Metals Park, OH. *IAEA No. 7* = *Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys*, Special Issue No. 7, International Atomic Energy Agency, Vienna (1980). *IMR* = *International Metals Reviews*, The Metals Society, London, and ASM International, Metals Park, OH. *JAPD* = *Journal of Alloy Phase Diagrams*, Indian Institute of Metals, Calcutta. *TIIM* = *Transactions of the Indian Institute of Metals*, Indian Institute of Metals, Calcutta.

Cumulative Index

La-Lu ..... *BAPD 3*(1) 92-93
La-Mo ..... *IAEA No. 7* 266
La-Nd* .... *BAPD 2*(4) 452-453, *3*(1) 26
La-Sc* ..... *BAPD 3*(1) 93-94
La-Tb. ..... *BAPD 2*(4) 454-455
La-Y* ..... *BAPD 3*(1) 94-96
Li-Ag* ..... *BAPD 7*(3)223-228
Li-Al* ..... *BAPD 2*(3) 353-356, *3*(2) 177-183, *5*(1) 19-21
Li-Au* ..... *BAPD 7*(3) 228-231
Li-Ba* ..... *BAPD 5*(5) 452-454
Li-Be* ..... *BAPD 6*(1) 30-32
Li-Cr ..... *BAPD 5*(4) 399-400
Li-Cu* ..... *BAPD 7*(2) 142-144
Li-Mg* ..... *BAPD 5*(4) 365-374
Li-Mo. ..... *IAEA No. 7* 267
Lr-Mo ..... *BAPD 1*(2) 81-82
Lu-Ag* ..... *BAPD 4*(4) 374-375
Lu-As ..... *BAPD 7*(4) 344-345
Lu-C ..... *BAPD 7*(6) 555-556
Lu-Ce ..... *BAPD 3*(1) 88-89
Lu-Er. ..... *BAPD 4*(3) 297-298
Lu-Gd ..... *BAPD 4*(2) 162
Lu-La ..... *BAPD 3*(1) 92-93
Lu-Mo ..... *IAEA No. 7* 269
Lu-Nd ..... *BAPD 3*(3) 355
Lu-Tb ..... *BAPD 4*(2) 169
Lu-Yb* ..... *BAPD 4*(3) 305-306
Md-Mo ..... *IAEA No. 7* 270
Mg-Ag* ..... *BAPD 5*(4) 348-358
Mg-Al* ..... *BAPD 3*(1)60-74
Mg-As* ..... *BAPD 6*(5) 432-434
Mg-Ba* ..... *BAPD 7*(2) 144-149
Mg-Bi* ..... *BAPD 6*(6) 528-533
Mg-Cd* ..... *BAPD 5*(1) 23-30
Mg-Cr ..... *BAPD 6*(4) 335-336
Mg-Cs* ..... *BAPD 6*(1) 37-39
Mg-Cu* ..... *BAPD 5*(1) 36-43
Mg-Fe* ..... *BAPD 6*(3) 235-238
Mg-Ga* ..... *BAPD 6*(5) 434-439
Mg-Ge* ..... *BAPD 5*(4) 359-365
Mg-In* ..... *BAPD 6*(2) 149-160
Mg-K* ..... *BAPD 6*(1) 39-41
Mg-Li* ..... *BAPD 5*(4) 365-374
Mg-Mn* ..... *BAPD 6*(2) 160-164
Mg-Mo ..... *IAEA No. 7* 271
Mg-Na* ..... *BAPD 5*(5) 454-456
Mg-Ni* ..... *BAPD 6*(3) 238-244
Mg-P ..... *BAPD 6*(3) 244-245
Mg-Pb* ..... *BAPD 6*(1) 56-66
Mg-Pd* ..... *BAPD 6*(2) 164-167
Mg-Rb* ..... *BAPD 6*(1) 41-42
Mg-Sb* ..... *BAPD 5*(6) 579-584, 7(6) 522 ad
Mg-Sc* ..... *BAPD 7*(6) 574-578
Mg-Si* ..... *BAPD 5*(6) 584-592, 7(6) 522 ad
Mg-Sn* ..... *BAPD 5*(5) 466-476
Mg-Sr* ..... *BAPD 7*(2) 149-156
Mg-Te ..... *BAPD 7*(3) 244-245
Mg-Th* ..... *BAPD 5*(1) 43-48
Mg-Ti* ..... *BAPD 7*(3) 245-248
Mg-U* ..... *BAPD 1*(2) 108-109
Mg-W ..... *JAPD 2*(1) 30
Mg-Zr* ..... *BAPD 6*(3) 246-250
MM-Ag ..... *BAPD 4*(4) 364-366
Mn-Au* ..... *BAPD 6*(5) 454-467
Mn-B ..... *BAPD 2*(1) 109-110, 7(6) 543-549
Mn-Cr* ..... *BAPD 2*(1) 104-105, *2*(3) 299-300, *2*(4) 439-440, *7*(5) 457-462
Mn-Fe ... *BAPD 2*(1) 106, *2*(3) 299-300, *2*(4) 439-440
Mn-Mg* ..... *BAPD 6*(2) 160-164
Mn-Mo ..... *IAEA No. 7* 271-274
Mn-Ni ..... *BAPD 2*(1) 27, 110-112
Mn-Ti* ..... *BAPD 2*(3) 334-343
Mn-V* ..... *BAPD 2*(4) 473-478
Mn-W ..... *JAPD 2*(1) 38-39
Mo-Ac ..... *IAEA No. 7* 200-202
Mo-Ag ..... *IAEA No. 7* 202-204
Mo-Al ..... *BAPD 1*(2) 71-75
Mo-Am ..... *IAEA No. 7* 208-209
Mo-Ar ..... *IAEA No. 7* 209-210
Mo-As ..... *BAPD 1*(2) 76-78
Mo-At ..... *IAEA No. 7* 211
Mo-Au* ..... *IAEA No. 7* 211-213, *BAPD 7*(5) 449-452
Mo-B ..... *IAEA No. 7* 213-217
Mo-Ba ..... *IAEA No. 7* 217
Mo-Be ..... *IAEA No. 7* 217-219
Mo-Bi ..... *IAEA No. 7* 219
Mo-Bk ..... *IAEA No. 7* 220
Mo-Br ..... *IAEA No. 7* 220-222
Mo-C ..... *IAEA No. 7* 222-225
Mo-Ca ..... *IAEA No. 7* 225
Mo-Cd ..... *IAEA No. 7* 226
Mo-Ce ..... *IAEA No. 7* 226-227
Mo-Cf ..... *IAEA No. 7* 227-230
Mo-Cl ..... *IAEA No. 7* 229-230
Mo-Cm ..... *IAEA No. 7* 230-231
Mo-Co ..... *IAEA No. 7* 231-234
Mo-Cr ..... *IAEA No. 7* 234-236
Mo-Cs ..... *IAEA No. 7* 236
Mo-Cu ..... *IAEA No. 7* 236-238
Mo-Dy ..... *IAEA No. 7* 238-239
Mo-Er ..... *IAEA No. 7* 239-241
Mo-Es ..... *IAEA No. 7* 241
Mo-Eu ..... *IAEA No. 7* 241
Mo-F ..... *IAEA No. 7* 241-244
Mo-Fe ..... *IAEA No. 7* 244-249, *BAPD 3*(3) 359-367, *4*(1) 28
Mo-Fm ..... *IAEA No. 7* 249
Mo-Fr ..... *IAEA No. 7* 249
Mo-Ga ..... *IAEA No. 7* 249-251
Mo-Gd ..... *BAPD 1*(2) 78-79
Mo-Ge ..... *IAEA No. 7* 253-255
Mo-H ..... *IAEA No. 7* 255-256
Mo-He ..... *IAEA No. 7* 256
Mo-Hf ..... *IAEA No. 7* 256-259
Mo-Hg ..... *IAEA No. 7* 259-261
Mo-Ho ..... *IAEA No. 7* 260
Mo-I ..... *BAPD 1*(2) 80-81
Mo-In. ..... *IAEA No. 7* 261-263
Mo-Ir ..... *IAEA No. 7* 263-265
Mo-K ..... *IAEA No. 7* 265
Mo-Kr ..... *IAEA No. 7* 266
Mo-La ..... *IAEA No. 7* 266
Mo-Li. ..... *IAEA No. 7* 267
Mo-Lr ..... *BAPD 1*(2) 81-82
Mo-Lu ..... *IAEA No. 7* 269
Mo-Md ..... *IAEA No. 7* 270
Mo-Mg ..... *IAEA No. 7* 271
Mo-Mn ..... *IAEA No. 7* 271-274
Mo-N ..... *BAPD 1*(2) 82-85
Mo-Na ..... *IAEA No. 7* 277
Mo-Nb ..... *IAEA No. 7* 277
Mo-Nd ..... *IAEA No. 7* 277-278
Mo-Ne ..... *IAEA No. 7* 279
Mo-Ni ..... *IAEA No. 7* 280-283
Mo-No ..... *IAEA No. 7* 283
Mo-Np ..... *IAEA No. 7* 283-285
Mo-O ..... *BAPD 1*(2) 85-89
Mo-Os ..... *IAEA No. 7* 289-291
Mo-P ..... *IAEA No. 7* 291-293
Mo-Pa ..... *IAEA No. 7* 293-295
Mo-Pb ..... *IAEA No. 7* 295
Mo-Pd ..... *IAEA No. 7* 295-297
Mo-Pm ..... *IAEA No. 7* 298
Mo-Po ..... *IAEA No. 7* 299
Mo-Pr ..... *IAEA No. 7* 299-300
Mo-Pt ..... BAPD *1*(2) 89-92
Mo-Pu ..... *IAEA No. 7* 305
Mo-Ra ..... *IAEA No. 7* 306
Mo-Rb ..... *IAEA No. 7* 306
Mo-Re ..... *IAEA No. 7* 306-309
Mo-Rh ..... *IAEA No. 7* 309-312
Mo-Rn ..... *IAEA No. 7* 312
Mo-Ru ..... *IAEA No. 7* 312-313
Mo-S ..... *BAPD 1*(2) 93-95
Mo-Sb ..... *IAEA No. 7* 316-317
Mo-Sc ..... *IAEA No. 7* 317-319
Mo-Se ..... *IAEA No. 7* 319-320
Mo-Si. ..... *IAEA No. 7* 320-322
Mo-Sm ..... *IAEA No. 7* 322
Mo-Sn ..... *BAPD 1*(2) 96-97
Mo-Sr ..... *IAEA No. 7* 325
Mo-Ta ..... *IAEA No. 7* 326
Mo-Tb ..... *IAEA No. 7* 326
Mo-Tc ..... *IAEA No. 7* 327
Mo-Te ..... *IAEA No. 7* 329
Mo-Th ..... *IAEA No. 7* 331-333, *BAPD 3*(1) 100-101, *3*(3) 308
Mo-Ti* ..... *IAEA No. 7* 333-335, *BAPD 2*(2) 185-192
Mo-Tl. ..... *IAEA No. 7* 335
Mo-Tm ..... *IAEA No. 7* 335-336
Mo-U ..... *IAEA No. 7* 336-339
Mo-V ..... *IAEA No. 7* 339
Mo-W* ..... *IAEA No. 7* 340, *BAPD 5*(2) 177-180, *TIIM 37*(2) 107-110
Mo-Xe ..... *IAEA No. 7* 341
Mo-Y ..... *IAEA No. 7* 341-343
Mo-Yb ..... *IAEA No. 7* 343
Mo-Zn ..... *IAEA No. 7* 343-344
Mo-Zr ..... *IAEA No. 7* 344-347
N-Al* ..... *BAPD 7*(4) 329-333
N-Au ..... *BAPD 5*(4) 381-382
N-Mo ..... *BAPD 1*(2) 82-85
N-Ni* ..... *BAPD 6*(6) 558-563
Na-Ag* ..... *BAPD 7*(2) 133-136
Na-Al* ..... *BAPD 4*(4) 407-410
Na-Au* ..... *BAPD 7*(2) 136-139
Na-Ba* ..... *BAPD 6*(1) 26-29
Na-Be* ..... *BAPD 6*(1) 32-33
Na-Ca* ..... *BAPD 6*(1) 35-37
Na-Cr ..... *BAPD 5*(4) 400-401
Na-Cs* ..... *BAPD 3*(3) 310-313
Na-Cu* ..... *BAPD 7*(1) 25-27
Na-K* ..... *BAPD 3*(3) 313-318
Na-Mg* ..... *BAPD 5*(5) 454-456
Na-Mo. ..... *IAEA No. 7* 277
Na-Rb* ..... *BAPD 3*(3) 318-321
Na-Sr* ..... *BAPD 6*(1) 43-45
Nb-Al* ..... *BAPD 2*(1) 75-81

BAPD = *Bulletin of Alloy Phase Diagrams*, ASM International, Metals Park, OH. *IAEA No. 7* = *Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys*, Special Issue No. 7, International Atomic Energy Agency, Vienna (1980). *IMR* = *International Metals Reviews*, The Metals Society, London, and ASM International, Metals Park, OH. *JAPD* = *Journal of Alloy Phase Diagrams*, Indian Institute of Metals, Calcutta. *TIIM* = *Transactions of the Indian Institute of Metals*, Indian Institute of Metals, Calcutta.

Nb-Au* ..... *BAPD 6*(2) 134-136
Nb-Cr* ..... *BAPD 7*(5) 462-466
Nb-Cu* ..... *BAPD 2*(4) 455-460
Nb-D ..... *BAPD 4*(1) 39-46
Nb-Fe* ..... *BAPD 7*(3) 248-254
Nb-H* ..... *BAPD 4*(1) 39-46
Nb-Mo ..... *IAEA No. 7* 277
Nb-Ni* ..... *BAPD 7*(2) 124-130
Nb-Ti* ..... *BAPD 2*(1) 55-61
Nb-V* .. *BAPD 4*(1) 46-49, *4*(4) 361-362
Nb-Zr* ..... *BAPD 3*(1) 34-44
Nd-Ag* ..... *BAPD 6*(1) 21-23
Nd-As* ..... *BAPD 7*(4) 345-347
Nd-C ..... *BAPD 7*(6) 557-558
Nd-Ce ..... *BAPD 3*(1) 90
Nd-Dy* ..... *BAPD 3*(3) 348-350
Nd-Er* ..... *BAPD 3*(3) 350-351
Nd-Gd* ..... *BAPD 3*(3) 351-353
Nd-Ho ..... *BAPD 3*(3) 354-355
Nd-La* .... *BAPD 2*(4) 452-453, *3*(1) 26
Nd-Lu ..... *BAPD 3*(3) 355
Nd-Mo ..... *IAEA No. 7* 277-278
Nd-Pr* ..... *BAPD 3*(2) 196-198
Nd-Sc* ... *BAPD 3*(3) 356-357, *4*(2) 145
Nd-Sm* ..... *BAPD 3*(2) 201-202
Nd-Tm ..... *BAPD 3*(3) 357
Nd-Y* ..... *BAPD 3*(2) 202-205
Nd-Yb* ..... *BAPD 3*(3) 358
Ne-Mo ..... *IAEA No. 7* 279
Ni-Bi* ..... *BAPD 6*(4) 345-347
Ni-Co* ..... *BAPD 4*(4) 390-395
Ni-Cr* ... *BAPD 2*(1) 100-101, *2*(3) 299, *7*(5) 466-476
Ni-Fe ..... *BAPD 2*(1) 102, *2*(3) 299
Ni-Hf* ..... *BAPD 4*(3) 250-253
Ni-Mg* ..... *BAPD 6*(3) 238-244
Ni-Mn ..... *BAPD 2*(1) 27, 110-112
Ni-Mo ..... *IAEA No. 7* 280-283
Ni-N* ..... *BAPD 6*(6) 558-563
Ni-Nb* ..... *BAPD 7*(2) 124-130
Ni-O* ..... *BAPD 5*(2) 141-144
Ni-Pd* ..... *BAPD 5*(5) 446-450
Ni-Re* ..... *BAPD 6*(4) 348-350
Ni-Rh* ..... *BAPD 5*(4) 403-405
Ni-Ru* ..... *BAPD 7*(2) 130-133
Ni-Sn* ..... *BAPD 6*(4) 350-359
Ni-Ta* .... *BAPD 5*(3) 259-265, *5*(5) 444
Ni-Tc* ..... *BAPD 6*(2) 124-125
Ni-V* ..... *BAPD 3*(3) 342-348
Ni-W ..... *JAPD 2*(1) 1-11
Ni-Zr* ..... *BAPD 5*(2) 144-148
No-Mo ..... *IAEA No. 7* 283
Np-Cd ..... *BAPD 2*(4) 485-488
Np-Cr* ..... *BAPD 6*(5) 418-419
Np-Mo ..... *IAEA No. 7* 283-285
Np-Pu* ..... *BAPD 6*(3) 215-217
Np-U* ..... *BAPD 6*(3) 217-219
O-Al* ..... *BAPD 6*(6) 548-553
O-Be* ..... *BAPD 6*(6) 553-558
O-Ca* ..... *BAPD 6*(4) 337-342
O-Cu* ..... *BAPD 5*(2) 136-140
O-Mo ..... *BAPD 1*(2) 85-89
O-Ni ..... *BAPD 5*(2) 141-144
O-Zr* ..... *BAPD 7*(2) 116-124
Os-Ag* ..... *BAPD 7*(4) 360-362
Os-Au ..... *BAPD 5*(4) 382
Os-Fe* ..... *BAPD 4*(4) 396-399
Os-Mo ..... *IAEA No. 7* 289-291
Os-Th ..... *BAPD 3*(1) 101-102
Os-Ti* ..... *BAPD 3*(2) 212-216
Os-W ..... *JAPD 2*(2) 93-96
P-Al* ..... *BAPD 6*(3) 222-224
P-Au* ..... *BAPD 5*(5) 490-491
P-Ge* ..... *BAPD 6*(3) 262-266
P-Mg ..... *BAPD 6*(3) 244-245
P-Mo ..... *IAEA No. 7* 291-293
P-Si* ..... *BAPD 6*(2) 130-133
Pa-Bi ..... *BAPD 2*(4) 484-485
Pa-Mo ..... *IAEA No. 7* 293-295
Pb-Ag* ... *BAPD 1*(2) 56-59, *2*(1) 81-83
Pb-Al* .... *BAPD 1*(1) 79-81, *5*(1) 69-73
Pb-Au* ..... *BAPD 1*(2) 59-62, *5*(3) 276-284
Pb-Bi ..... *BAPD 1*(2) 67-70
Pb-Cd* ..... *BAPD 2*(1) 83-86
Pb-Cu* ..... *BAPD 1*(1) 81-82, *5*(5) 503-510, *6*(6) 516, *7*(6) 522 ad
Pb-Ge* ..... *BAPD 5*(4) 374-377
Pb-Mg* ..... *BAPD 6*(1) 56-66, *6*(2) 164-167
Pb-Mo ..... *IAEA No. 7* 295
Pb-S* ..... *BAPD 7*(4) 374-381
Pb-Sb* ..... *BAPD 2*(1) 86-89
Pb-Si* ..... *BAPD 5*(3) 271-273
Pb-Th ..... *BAPD 3*(1) 102-103
Pb-Ti* ..... *BAPD 5*(6) 613-615
Pb-V ..... *BAPD 2*(2) 209-210
Pd-Al* ..... *BAPD 7*(4) 368-374
Pd-Au* ..... *BAPD* 2(4) 482-484, *6*(3) 229-235
Pd-Mo ..... *IAEA No. 7* 295-297
Pd-Ni* ..... *BAPD 5*(5) 446-450
Pd-Ti* ..... *BAPD 3*(3) 321-329, *4*(2) 144-145
Pm-Mo ..... *IAEA No. 7* 298
Po-Au ..... *BAPD 5*(4) 382-383
Po-Mo ..... *IAEA No. 7* 299
Pr-Ag* ..... *BAPD 6*(1) 23-26
Pr-As ..... *BAPD 7*(4) 347-348
Pr-C ..... *BAPD 7*(6) 558-559
Pr-Ce* ..... *BAPD 3*(2)187-188
Pr-Gd ..... *BAPD 3*(2) 195-196
Pr-Mo ..... *IAEA No. 7* 299-300
Pr-Nd* ..... *BAPD 3*(2) 196-198
Pr-Tb ..... *BAPD 3*(2) 199-200
Pr-Y ..... *BAPD 3*(2) 200-201
Pt-Al* ..... *BAPD 7*(1) 47-51
Pt-Au* ... *BAPD 2*(1) 66-70, *6*(1) 46-56
Pt-Mg ..... *BAPD 6*(6) 533-534
Pt-Mo ..... *BAPD 1*(2) 89-92
Pt-Ti* ..... *BAPD 3*(3) 329-335
Pu-Au* ..... *BAPD 7*(6) 525-528
Pu-Cr* ..... *BAPD 6*(5) 419-421
Pu-Ga ..... *BAPD 2*(4) 488-490
Pu-Mo ..... *IAEA No. 7* 305
Pu-Np* ..... *BAPD 6*(3) 215-217
Pu-Th* ..... *BAPD 6*(4) 342-345
Ra-Cr ..... *BAPD 6*(4) 336
Ra-Mo ..... *IAEA No. 7* 306
Rb-Ag ..... *BAPD 7*(1) 19
Rb-Au* ..... *BAPD 7*(2) 139-142
Rb-Ba ..... *BAPD 5*(5) 454
Rb-Be ..... *BAPD 6*(1) 33-34
Rb-Ca ..... *BAPD 6*(1) 37
Rb-Cr ..... *BAPD 5*(4) 402
Rb-Cs* ..... *BAPD 4*(4) 382-384
Rb-Cu ..... *BAPD 7*(1) 28
Rb-K* ..... *BAPD 4*(4) 385-387
Rb-Mg* ..... *BAPD 6*(1) 41-42
Rb-Mo ..... *IAEA No. 7* 306
Rb-Na* ..... *BAPD 3*(3) 318-321
Rb-Sr ..... *BAPD 6*(1) 46
RE-Ag ..... *BAPD 4*(4) 364-370, *5*(1) 21
RE-As ..... *BAPD 7*(3) 274-276
Re-Au ..... *BAPD 5*(4) 382-383
RE-C* ..... *BAPD 7*(5) 421-436
Re-Mo ..... *IAEA No. 7* 306-309
Re-Ni* ..... *BAPD 6*(4) 348-350
Re-Ti* ..... *BAPD 2*(4) 462-466
Rh-Ag* ..... *BAPD 7*(4) 362-365
Rh-Au* ..... *BAPD 5*(4) 384-387
Rh-Cu* .... *BAPD 2*(4) 460-462, *3*(1) 26
Rh-Fe* ..... *BAPD 5*(5) 456-462
Rh-Mo ..... *IAEA No. 7* 309-312
Rh-Ni* ..... *BAPD 5*(4) 403-405
Rh-Ti ..... *BAPD 3*(3) 335-342
Rn-Mo ..... *IAEA No. 7* 312
Ru-Ag* ..... *BAPD 7*(4) 365-368
Ru-Au* ..... *BAPD 5*(4) 388-390
Ru-Fe* ..... *BAPD 4*(2) 155-160
Ru-Mo ..... *IAEA No. 7* 312-313
Ru-Ni* ..... *BAPD 7*(2) 130-133
Ru-Ti* ..... *BAPD 3*(2) 216-221
Ru-U ..... *BAPD 2*(4) 490-491
S-Ag* ..... *BAPD 7*(3) 263-269
S-Au* ..... *BAPD 6*(6) 518-519
S-Cu* ..... *BAPD 4*(3) 254-271
S-Mo ..... *BAPD 1*(2) 93-95
S-Pb* ..... *BAPD 7*(4) 374-381
S-Sn* ..... *BAPD 7*(3) 269-273
S-Ti* ..... *BAPD 7*(2) 156-163
Sb-Al* ..... *BAPD 5*(5) 462-465, *7*(6) 522 ad
Sb-Au* ..... *BAPD 5*(2) 166-171
Sb-Ge* ..... *BAPD 7*(3) 219-222
Sb-Mg* ..... *BAPD 5*(6) 579-584, *7*(6) 522 ad
Sb-Mo ..... *IAEA No. 7* 316-317
Sb-Pb* ..... *BAPD 2*(1) 86-89
Sb-Si* ..... *BAPD 6*(5) 445-448
Sb-U* ..... *BAPD 1*(2) 109-110
Sc-Ag* ..... *BAPD 4*(4) 375-377
Sc-Al* .... *BAPD 2*(2) 222-223, *2*(4) 442
Sc-As ..... *BAPD 7*(4) 348-349
Sc-C ..... *BAPD 7*(6) 559-560
Sc-Ce* ..... *BAPD 3*(2) 189-190
Sc-Cr* ..... *BAPD 6*(5) 422-423
Sc-Er* ..... *BAPD 4*(1) 75-76
Sc-Eu ..... *BAPD 4*(1) 78
Sc-Gd* ..... *BAPD 4*(2) 163-164
Sc-Ge* ..... *BAPD 7*(6) 540-543
Sc-Ho ..... *BAPD 4*(1) 79-80
Sc-La* ..... *BAPD 3*(1) 93-94
Sc-Mo ..... *IAEA No. 7* 317-319
Sc-Nd* ... *BAPD 3*(3) 356-357, *4*(2) 145
Sc-Si* ..... *BAPD 7*(4) 333-336
Sc-Tb ..... *BAPD 4*(2) 170
Sc-Y ..... *BAPD 4*(2) 171-172
Se-Cu* ..... *BAPD 2*(3) 305-315
Se-Mo ..... *IAEA No. 7* 319-320
Se-Sn* ..... *BAPD 7*(1) 68-72
Se-Ti ..... *BAPD 7*(2) 163-165
Si-Al* ..... *BAPD 5*(1) 74-84
Si-As* ..... *BAPD 6*(3) 254-258
Si-Au* ..... *BAPD 2*(3) 359-362, *4*(2) 190-198

BAPD = Bulletin of Alloy Phase Diagrams, ASM International, Metals Park, OH. *IAEA No. 7 = Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys*, Special Issue No. 7, International Atomic Energy Agency, Vienna (1980). *IMR =International Metals Reviews*, The Metals Society, London, and ASM International, Metals Park, OH. *JAPD = Journal of Alloy Phase Diagrams*, Indian Institute of Metals, Calcutta. *TIIM =Transactions of the Indian Institute of Metals*, Indian Institute of Metals, Calcutta.

Si-B* ..... *BAPD 5*(5) 478-484
Si-Bi* ..... *BAPD 6*(4) 359-361
Si-C* ..... *BAPD 5*(5) 486-489
Si-Cd* ..... *BAPD 6*(6) 534-536
Si-Cu* ..... *BAPD 7*(2) 170-178
Si-Ga* ..... *BAPD 6*(4) 362-364
Si-Ge* ..... *BAPD 5*(2) 180-183
Si-In* ..... *BAPD 6*(2) 128-130
Si-Mg* ..... *BAPD 5*(6) 584-592, *7*(6) 522 ad
Si-Mo ..... *IAEA No. 7* 320-322
Si-P* ..... *BAPD 6*(2) 130-133
Si-Pb* ..... *BAPD 5*(3) 271-273
Si-Sb* ..... *BAPD 6*(5) 445-448
Si-Sc* ..... *BAPD 7*(4) 333-336
Si-Sn* ..... *BAPD 5*(3) 273-276
Si-Tl* ..... *BAPD 6*(6) 543-544
Si-V* ... *BAPD 2*(1) 42-48, *6*(3) 266-271
Si-Y* ..... *BAPD 7*(5) 485-489
Si-Zn* ..... *BAPD 6*(6) 545-548
Sm-Ag* ..... *BAPD 6*(2) 142-143
Sm-As ..... *BAPD 7*(4) 349-350
Sm-C ..... *BAPD 7*(6) 560-562
Sm-Ce* ..... *BAPD 3*(2) 190-192
Sm-Gd* ..... *BAPD 4*(2) 164-167
Sm-Mo ..... *IAEA No. 7* 322
Sm-Nd* ..... *BAPD 3*(2) 201-202
Sm-Y* ..... *BAPD 4*(2) 172-175
Sn-Al* .. *BAPD 1*(1) 85-87, *4*(4) 410-414
Sn-Au* ..... *BAPD 5*(5) 492-503, *7*(6) 522 ad
Sn-Cu ..... *BAPD 1*(1) 87-89
Sn-Ge* ..... *BAPD 5*(3) 265-271
Sn-Mg* ..... *BAPD 5*(5) 466-476
Sn-Mo ..... *BAPD 1*(2) 96-97
Sn-Ni* ..... *BAPD 6*(4) 350-359
Sn-S* ..... *BAPD 7*(3) 269-273
Sn-Se* ..... *BAPD 7*(1) 68-72
Sn-Si* ..... *BAPD 5*(3) 273-276
Sn-Te* ..... *BAPD 7*(1) 72-80
Sn-V* ..... *BAPD 2*(2) 210-214
Sn-Zn* ..... *BAPD 0*(4) 330-334
Sn-Zr* ..... *BAPD 4*(2) 147-154, *5*(1) 21
Sr-Au* ..... *BAPD 7*(5) 452-454
Sr-Ca* ..... *BAPD 7*(5) 455-457
Sr-Cr ..... *BAPD 6*(4) 336-337
Sr-Cs ..... *BAPD 6*(1) 39
Sr-Cu* .... *BAPD 5*(4) 391-396, *6*(6) 516
Sr-K ..... *BAPD 6*(2) 168
Sr-Mg* ..... *BAPD 7*(2) 149-156
Sr-Mo ..... *IAEA No. 7* 325
Sr-Na* ..... *BAPD 6*(1) 43-45
Sr-Rb ..... *BAPD 6*(1) 46
Ta-Au* ..... *BAPD 6*(4) 365-368
Ta-Fe* ..... *BAPD 7*(3) 254-259
Ta-Mo ..... *IAEA No. 7* 326
Ta-Ni* .... *BAPD 5*(3) 259-265, *5*(5) 444
Ta-Ti* ..... *BAPD 2*(1) 62-66
Ta-V* ..... *BAPD 4*(3) 284-289
Tb-Ag* ..... *BAPD 6*(2) 144-145
Tb-As ..... *BAPD 7*(4) 351
Tb-C ..... *BAPD 7*(6) 562-563
Tb-Ce ..... *BAPD 3*(1) 90-91
Tb-Dy ..... *BAPD 4*(2) 160
Tb-Er* ..... *BAPD 4*(3) 298-299
Tb-Gd* ..... *BAPD 4*(3) 301-302
Tb-Ho* ..... *BAPD 4*(3) 304-305
Tb-La ..... *BAPD 2*(4) 454-455
Tb-Lu ..... *BAPD 4*(2) 169
Tb-Mo ..... *IAEA No. 7* 326
Tb-Pr ..... *BAPD 3*(2) 199-200
Tb-Sc ..... *BAPD 4*(2) 170
Tb-Y* ..... *BAPD 4*(2) 175-177
Tb-Yb ..... *BAPD 4*(2) 177-178
Tc-Au ..... *BAPD 5*(4) 390-391
Tc-Be ..... *BAPD 7*(4) 355-356
Tc-Cr* ..... *BAPD 7*(6) 573-574
Tc-Mo ..... *IAEA No. 7* 327
Tc-Ni* ..... *BAPD 6*(2) 124-125
Tc-Ti* ..... *BAPD 2*(4) 466-469
Te-Au* ..... *BAPD 5*(2) 172-177
Te-Mg ..... *BAPD 7*(3) 244-245
Te-Mo ..... *IAEA No. 7* 329
Te-Sn* ..... *BAPD 7*(1) 72-80
Te-Ti ..... *BAPD 7*(2) 165-167
Th-Au* ..... *BAPD 7*(6) 528-531
Th-Bi ..... *BAPD 3*(1) 96-98
Th-Cr* ..... *BAPD 6*(5) 423-425
Th-Cu* ..... *BAPD 7*(1) 36-43
Th-Ir ..... *BAPD 3*(1) 98-99
Th-Mg* ..... *BAPD 5*(1) 43-48
Th-Mo ..... *IAEA No. 7* 331-333, *BAPD 3*(1) 100-101, *3*(3) 308
Th-Os ..... *BAPD 3*(1) 101-102
Th-Pb ..... *BAPD 3*(1) 102-103
Th-Pu* ..... *BAPD 6*(4) 342-345
Th-U* ..... *BAPD 6*(5) 443-445
Th-V* ..... *BAPD 6*(4) 369-372
Th-W ..... *BAPD 3*(1) 104-105
Ti-Ag* ..... *BAPD 4*(2) 178-183
Ti-Au* ..... *BAPD 4*(3) 278-283
Ti-B* ..... *BAPD 7*(6) 550-555
Ti-Bi* ..... *BAPD 5*(6) 610-613
Ti-Cd* ..... *BAPD 4*(4) 399-401
Ti-Co* ..... *BAPD 3*(1) 74-85
Ti-Cr* ..... *BAPD 2*(2) 174-181
Ti-Cu* ..... *BAPD 4*(1) 81-95
Ti-Fe* ..... *BAPD 2*(3) 320-334
Ti-Ga* ..... *BAPD 6*(4) 327-330
Ti-Hf* ..... *BAPD 2*(2) 181-185
Ti-Ir* ..... *BAPD 3*(2) 205-211
Ti-Mg* ..... *BAPD 7*(3) 245-248
Ti-Mn* ..... *BAPD 2*(3) 334-343
Ti-Mo* ..... *IAEA No. 7* 333-335, *BAPD 2*(2) 185-192
Ti-Nb* ..... *BAPD 2*(1) 55-61
Ti-Os* ..... *BAPD 3*(2) 212-216
Ti-Pb* ..... *BAPD 5*(6) 613-615
Ti-Pd* ..... *BAPD 3*(3) 321-329, *4*(2) 144-145
Ti-Pt* ..... *BAPD 3*(3) 329-335
Ti-Re* ..... *BAPD 2*(4) 462-466
Ti-Rh ..... *BAPD 3*(3) 335-342
Ti-Ru* ..... *BAPD 3*(2) 216-221
Ti-Ta* ..... *BAPD 2*(1) 62-66
Ti-Tc* ..... *BAPD 2*(4) 466-469
Ti-S* ..... *BAPD 7*(2) 156-163
Ti-Se ..... *BAPD 7*(2) 163-165
Ti-Te ..... *BAPD 7*(2) 165-167
Ti-V* ..... *BAPD 2*(1) 48-55
Ti-W* ..... *BAPD 2*(2) 192-196
Ti-Zn* ..... *BAPD 5*(1) 52-56
Ti-Zr* ..... *BAPD 2*(2) 197-201
Tl-Au* ..... *BAPD 4*(2) 199-204
Tl-Cu* ..... *BAPD 5*(2) 156-160
Tl-Ge* ..... *BAPD 6*(2) 125-128
Tl-Mo ..... *IAEA No. 7* 335
Tl-Si* ..... *BAPD 6*(6) 543-544
Tm-Ag* ..... *BAPD 6*(2) 146-147
Tm-As ..... *BAPD 7*(4) 352
Tm-C ..... *BAPD 7*(6) 563-564
Tm-Ce ..... *BAPD 3*(1) 92
Tm-Er ..... *BAPD 4*(3) 299-300
Tm-Mo ..... *IAEA No. 7* 335-336
Tm-Nd ..... *BAPD 3*(3) 357
U-Au* ..... *BAPD 7*(6) 532-535
U-Cd* ..... *BAPD 1*(2) 97-99
U-Cr* ..... *BAPD 6*(5) 425-429
U-H* ..... *BAPD 1*(2) 99-106, *2*(2) 172
U-Hg* ..... *BAPD 1*(2) 106-108
U-Mg* ..... *BAPD 1*(2) 108-109
U-Mo ..... *IAEA No. 7* 336-339
U-Np* ..... *BAPD 6*(3) 217-219
U-Ru ..... *BAPD 2*(4) 490-491
U-Sb* ..... *BAPD 1*(2) 109-110
U-Th* ..... *BAPD 6*(5) 443-445
U-Zn* ..... *BAPD 1*(2) 110-113
V-Ag* ..... *BAPD 2*(3) 343-344
V-Au* ..... *BAPD 2*(3) 344-347
V-C* ..... *BAPD 6*(2) 115-124
V-Cr* ..... *BAPD 2*(4) 469-473
V-Cu* ..... *BAPD 2*(3) 348-351
V-D* ..... *BAPD 3*(1) 49-54
V-Fe* ..... *BAPD 5*(2) 184-194
V-Ga* ..... *BAPD 2*(2) 201-209
V-Ge* ..... *BAPD 2*(2) 205-209
V-H* ..... *BAPD 3*(1) 55-60
V-In* ..... *BAPD 6*(1) 66-68
V-Mn* ..... *BAPD 2*(4) 473-478
V-Mo ..... *IAEA No. 7* 339
V-Nb* ..... *BAPD 4*(1) 46-49
V-Ni* ..... *BAPD 3*(3) 342-348
V-Pb ..... *BAPD 2*(2) 209-210
V-Si* ... *BAPD 2*(1) 42-48, *6*(3) 266-271
V-Sn* ..... *BAPD 2*(2) 210-214
V-Ta* ..... *BAPD 4*(3) 284-289
V-Th* ..... *BAPD 6*(4) 369-372
V-Ti* ..... *BAPD 2*(1) 48-55
W-Au* ..... *BAPD 6*(2) 136-137
W-Be* ..... *BAPD 7*(4) 356-358
W-Cr* ..... *BAPD 5*(3) 289-292, *TIIM 36*(4/5) xxv-xxix
W-Mo* ..... *IAEA No. 7* 340, *BAPD 5*(2) 177-180, *TIIM 37*(2) 107-110
W-Os ..... *JAPD 2*(2) 93-96
W-Th ..... *BAPD 3*(1) 104-105
W-Ti* ..... *BAPD 2*(2) 192-196
W-Zn ..... *JAPD 2*(1) 66-67
Xe-Mo ..... *IAEA No. 7* 341
Y-Ag* ..... *BAPD 4*(4) 377-379
Y-As ..... *BAPD 7*(4) 352-353
Y-C* ..... *BAPD 7*(6) 564-568
Y-Ce* ..... *BAPD 3*(2) 192-194
Y-Cr* ..... *BAPD 6*(5) 429-431
Y-Cu* ..... *BAPD 2*(3) 315-319
Y-Dy* ..... *BAPD 4*(1) 74-75
Y-Er* ..... *BAPD 4*(1) 77-78
Y-Eu ..... *BAPD 4*(1) 79
Y-Gd* ..... *BAPD 4*(2) 167-168
Y-Ho* ..... *BAPD 4*(1) 80-81
Y-La* ..... *BAPD 3*(1) 94-96
Y-Mo ..... *IAEA No. 7* 341-343
Y-Nd* ..... *BAPD 3*(2) 202-205
Y-Pr ..... *BAPD 3*(2) 200-201
Y-Sc* ..... *BAPD 4*(2) 171-172
Y-Si* ..... *BAPD 7*(5) 485-489

BAPD = Bulletin of Alloy Phase Diagrams, ASM International, Metals Park, OH. *IAEA No. 7 = Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys*, Special Issue No. 7, International Atomic Energy Agency, Vienna (1980). *IMR = International Metals Reviews*, The Metals Society, London, and ASM International, Metals Park, OH. *JAPD = Journal of Alloy Phase Diagrams*, Indian Institute of Metals, Calcutta. *TIIM = Transactions of the Indian Institute of Metals*, Indian Institute of Metals, Calcutta.

Y-Sm* ..... *BAPD 4*(2) 172-175
Y-Tb* ..... *BAPD 4*(2) 175-177
Yb-Ag* ..... *BAPD 6*(2) 147-149
Yb-As ..... *BAPD 7*(4) 353-354
Yb-C ..... *BAPD 7*(6) 568-570
Yb-Ce ..... *BAPD 3*(1) 89
Yb-Eu ..... *BAPD 4*(2) 161
Yb-Gd* ..... *BAPD 4*(3) 303-304
Yb-Lu* ..... *BAPD 4*(3) 305-306
Yb-Mo ..... *IAEA No. 7* 343
Yb-Nd* ..... *BAPD 3*(3) 358
Yb-Tb ..... *BAPD 4*(2) 177-178
Zn-Al* ..... *BAPD 4*(1) 55-73
Zn-Cd* ..... *BAPD 5*(1) 30-36
Zn-Ge* ..... *BAPD 6*(6) 540-543
Zn-In* ..... *BAPD 5*(3) 284-289
Zn-Mo ..... *IAEA No. 7* 343-344
Zn-Si* ..... *BAPD 6*(6) 545-548
Zn-Sn* ..... *BAPD 6*(4) 330-334
Zn-Ti* ..... *BAPD 5*(1) 52-56
Zn-U* ..... *BAPD 1*(2) 110-113
Zr-Au* ..... *BAPD 6*(6) 519-522
Zr-Cr* ..... *BAPD 7*(3) 237-244
Zr-Ge* ..... *BAPD 7*(1) 43-47
Zr-Hf* ..... *BAPD 3*(1) 29-34
Zr-Mg* ..... *BAPD 6*(3) 246-250
Zr-Mo ..... *IAEA No. 7* 344-347
Zr-Nb* ..... *BAPD 3*(1) 34-44
Zr-Ni* ..... *BAPD 5*(2) 144-148
Zr-O* ..... *BAPD 7*(2) 116-124
Zr-Sn* ..... *BAPD 4*(2) 147-154, *5*(1) 21
Zr-Ti* ..... *BAPD 2*(2) 197-201

Higher-Order Systems

Ag-Al-Cu ..... *BAPD 1*(1) 34-35
Ag-Au-Ge ..... *BAPD 1*(2) 44
Ag-Au-Pb ..... *BAPD 1*(2) 54-56
Ag-Bi-Cu ..... *BAPD 1*(2) 62
Ag-Bi-Pb ..... *BAPD 1*(2) 64-67
Ag-Cd-Cu-Zn ..... *BAPD 2*(2) 228-230
Ag-Cd-Zn ..... *JAPD 2*(1) 12-29
Al-Ag-Cu ..... *BAPD 1*(1) 34-35
Al-Be-Cu ..... *BAPD 1*(1) 46-48
Al-Bi-Cu ..... *BAPD 1*(1) 53-54
Al-Cd-Cu ..... *BAPD 1*(1) 58-59
Al-Co-Fe ..... *IMR 27*(3) 169-183
Al-Cr-Fe ..... *IMR 25*(4) 139-157
Al-Cu-Ge* ..... *BAPD 1*(1) 64
Al-Cu-In ..... *BAPD 1*(1) 70-72
Al-Cu-Pb ..... *BAPD 1*(1) 78
Al-Cu-Sn ..... *BAPD 1*(1) 82-84
Al-Fe-Mn ..... *IMR 28*(6) 309-337
Al-Fe-N ..... *TIIM 37*(5) 411-416
Al-Fe-Ni ..... *IMR 25*(3) 79-93, *TIIM 37*(5) 411-416
Al-Fe-Si ..... *IMR 26*(3) 133-152
Al-Mg-Zn ..... *BAPD 6*(6) 516 ad, *JAPD 2*(2) 108-130
Al-Ni-Ti ..... *BAPD 3*(3) 367-374
Al-S-Zn ..... *JAPD 2*(1) 40-42
Al-Se-Zn ..... *TIIM 37*(6) 709-714
Al-Te-Zn ..... *TIIM 37*(6) 715-719
Au-Ag-Ge ..... *BAPD 1*(2) 44
Au-Ag-Pb ..... *BAPD 1*(2) 54-56
B-C-Fe ..... *JAPD 2*(2) 77-92
B-Cr-Mn ..... *BAPD 2*(1) 107
Be-Al-Cu ..... *BAPD 1*(1) 46-48
Bi-Ag-Cu ..... *BAPD 1*(2) 62
Bi-Ag-Pb ..... *BAPD 1*(2) 64-67
Bi-Al-Cu ..... *BAPD 1*(1) 53-54
Bi-Cd-Zn ..... *JAPD 2*(2) 69-76
C-B-Fe ..... *JAPD 2*(2) 77-92
C-Co-Fe ..... *IMR 29*(2) 96-121
C-Cr-Fe ..... *IMR 29*(4) 299-327
C-Cu-Fe ..... *IMR 29*(2) 96-121
C-Fe-Mn ..... *IMR 29*(4) 299-327
C-Fe-Mo ..... *IMR 30*(3) 109-124
C-Fe-N ..... *TIIM 37*(4) 293-301
C-Fe-Nb ..... *JAPD 2*(2) 131-140
C-Fe-Ni ..... *IMR 29*(2) 96-121
C-Fe-Si ..... *JAPD 2*(2) 97-107
C-Fe-Ta ..... *JAPD 1*(1) 13-18
C-Fe-Ti ..... *JAPD 1*(1) 27-38
C-Fe-V* ..*BAPD 5*(3) 293-299, *5*(5) 444, *TIIM 36*(4/5) ix-xvi
C-Fe-W ..... *IMR 30*(6) 259-274
Cd-Ag-Cu-Zn ..... *BAPD 2*(2) 228-230
Cd-Ag-Zn ..... *JAPD 2*(1) 12-29
Cd-Al-Cu ..... *BAPD 1*(1) 58-59
Cd-Bi-Zn ..... *JAPD 2*(2) 69-76
Co-Al-Fe ..... *IMR 27*(3) 169-183
Co-C-Fe ..... *IMR 29*(2) 96-121
Co-Cr-Fe ..... *IMR 26*(5) 269-300
Co-Cr-Ni ..... *TIIM 37*(6) 699-708
Co-Fe-Mn ..... *IMR 28*(1) 23-64
Co-Fe-Mo ..... *IMR 29*(5) 329-375
Co-Fe-N ..... *TIIM 37*(5) 416-421
Co-Fe-Ni ..... *IMR 26*(5) 269-300
Co-Fe-Si ..... *IMR 30*(4) 181-208
Co-Fe-V ..... *IMR 28*(4) 211-227
Co-Fe-W ..... *IMR 26*(4) 213-249
Co-Mo-Ni ..... *TIIM 37*(6) 691-698
Cr-Al-Fe ..... *IMR 25*(4) 139-157
Cr-B-Mn ..... *BAPD 2*(1) 107
Cr-C-Fe ..... *IMR 29*(4) 299-327
Cr-Co-Fe ..... *IMR 26*(5) 269-300
Cr-Co-Ni ..... *TIIM 37*(6) 699-708
Cr-Cu-Fe-Ni ..... *BAPD 2*(2) 227
Cr-Cu-Ni ..... *JAPD 1*(1) 39-46
Cr-Fe-Mn ..... *BAPD 2*(1) 103-104
Cr-Fe-Mo ..... *IMR 29*(5) 329-375
Cr-Fe-N ..... *TIIM 37*(6) 671-690
Cr-Fe-Ni* ..... *BAPD 2*(1) 89-99
Cr-Fe-Ti ..... *JAPD 1*(1) 1-12
Cr-Fe-V ..... *IMR 28*(5) 251-270
Cr-Fe-W ..... *IMR 26*(4) 213-249
Cr-Nb-Ni ..... *JAPD 2*(1) 53-65
Cr-Ni-Ti ..... *JAPD 2*(1) 31-37
Cr-Ni-W ..... *JAPD 1*(1) 47-58
Cu-Ag-Al ..... *BAPD 1*(1) 34-35
Cu-Ag-Bi ..... *BAPD 1*(2) 62
Cu-Ag-Cd-Zn ..... *BAPD 2*(2) 228-230
Cu-Al-Be ..... *BAPD 1*(1) 46-48
Cu-Al-Bi ..... *BAPD 1*(1) 53-54
Cu-Al-Cd ..... *BAPD 1*(1) 58-59
Cu-Al-Ge* ..... *BAPD 1*(1) 64
Cu-Al-In ..... *BAPD 1*(1) 70-72
Cu-Al-Pb ..... *BAPD 1*(1) 78
Cu-Al-Sn ..... *BAPD 1*(1) 82-84
Cu-C-Fe ..... *IMR 29*(2) 96-121
Cu-Cr-Fe-Ni ..... *BAPD 2*(2) 227
Cu-Cr-Ni ..... *JAPD 1*(1) 39-46
Cu-Fe-Mn ..... *IMR 28*(1) 23-64
Cu-Mg-Ti ..... *BAPD 2*(2) 226
Fe-Al-Co ..... *IMR 27*(3) 169-183
Fe-Al-Cr ..... *IMR 25*(4) 139-157
Fe-Al-Mn ..... *IMR 28*(6) 309-337
Fe-Al-N ..... *TIIM 37*(5) 411-416
Fe-Al-Ni ..... *IMR 25*(3) 79-93
Fe-Al-Si ..... *IMR 26*(3) 133-152
Fe-B-C ..... *JAPD 2*(2) 77-92
Fe-C-Co ..... *IMR 29*(2) 96-121
Fe-C-Cr ..... *IMR 29*(4) 299-327
Fe-C-Cu ..... *IMR 29*(2) 96-121
Fe-C-Mn ..... *IMR 29*(4) 299-327
Fe-C-Mo ..... *IMR 30*(3) 109-124
Fe-C-N ..... *TIIM 37*(4) 293-301
Fe-C-Nb ..... *JAPD 2*(2) 131-140
Fe-C-Ni ..... *IMR 29*(2) 96-121
Fe-C-Si ..... *JAPD 2*(2) 97-107
Fe-C-Ta ..... *JAPD 1*(1) 13-18
Fe-C-Ti ..... *JAPD 1*(1) 27-38
Fe-C-V* ..*BAPD 5*(3) 293-299, *5*(5) 444, *TIIM 36*(4/5) ix-xvi
Fe-C-W ..... *IMR 30*(6) 259-274
Fe-Co-Cr ..... *IMR 26*(5) 269-300
Fe-Co-Mn ..... *IMR 28*(1) 23-64
Fe-Co-Mo ..... *IMR 29*(5) 329-375
Fe-Co-N ..... *TIIM 37*(5) 416-421
Fe-Co-Ni ..... *IMR 26*(5) 269-300
Fe-Co-Si ..... *IMR 30*(4) 181-208
Fe-Co-V ..... *IMR 28*(4) 211-227
Fe-Co-W ..... *IMR 26*(4) 213-249
Fe-Cr-Cu-Ni ..... *BAPD 2*(2) 227
Fe-Cr-Mn ..... *BAPD 2*(1) 103-104
Fe-Cr-Mo ..... *IMR 29*(5) 329-375
Fe-Cr-N ..... *TIIM 37*(6) 671-690
Fe-Cr-Ni* ..... *BAPD 2*(1) 89-99
Fe-Cr-Ti ..... *JAPD 1*(1) 1-12
Fe-Cr-V ..... *IMR 28*(5) 251-270
Fe-Cr-W ..... *IMR 26*(4) 213-249
Fe-Cu-Mn ..... *IMR 28*(1) 23-64
Fe-Mn-Mo ..... *IMR 29*(5) 329-375
Fe-Mn-N ..... *TIIM 37*(3) A-F
Fe-Mn-Ni ..... *IMR 28*(1) 23-64
Fe-Mn-Si ..... *IMR 28*(6) 309-337
Fe-Mn-Ti ..... *IMR 28*(1) 23-64
Fe-Mn-V ..... *IMR 28*(1) 23-64
Fe-Mo-N ..... *TIIM 37*(4) 308-312
Fe-Mo-Ni ..... *IMR 29*(5) 329-375
Fe-Mo-Si ..... *IMR 30*(2) 68-84
Fe-Mo-W ..... *IMR 26*(4) 213-249
Fe-N-Ni ..... *TIIM 37*(4) 302-307
Fe-N-Si ..... *TIIM 37*(6) 665-671
Fe-N-V* ..*BAPD 5*(2) 194-198, *5*(5) 444, *TIIM 36*(4/5) xvii-xxiii
Fe-Nb-N ..... *JAPD 1*(1) 19-26
Fe-Nb-Si ..... *TIIM 37*(5) 421-425D
Fe-Ni-S* ..... *BAPD 3*(2) 165-172
Fe-Ni-Si ..... *IMR 30*(4) 181-208
Fe-Ni-Ti ..... *JAPD 1*(1) 59-68
Fe-Ni-V ..... *IMR 28*(5) 251-270
Fe-Ni-W ..... *IMR 26*(4) 213-249
Fe-Si-V ..... *IMR 27*(5) 289-306
Fe-Si-W ..... *IMR 26*(4) 213-249
Fe-Ti-W ..... *IMR 26*(4) 213-249
Ge-Ag-Au ..... *BAPD 1*(2) 44
Ge-Al-Cu* ..... *BAPD 1*(1) 64
In-Al-Cu ..... *BAPD 1*(1) 70-72
Mg-Al-Zn ..... *BAPD 6*(6) 516 ad, *JAPD 2*(2) 108-130
Mg-Cu-Ti ..... *BAPD 2*(2) 226
Mn-Al-Fe ..... *IMR 28*(6) 309-337
Mn-B-Cr ..... *BAPD 2*(1) 107
Mn-C-Fe ..... *IMR 29*(4) 299-327
Mn-Co-Fe ..... *IMR 28*(1) 23-64

BAPD = Bulletin of Alloy Phase Diagrams, ASM International, Metals Park, OH. *IAEA No. 7 = Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys*, Special Issue No. 7, International Atomic Energy Agency, Vienna (1980). *IMR = International Metals Reviews*, The Metals Society, London, and ASM International, Metals Park, OH. *JAPD = Journal of Alloy Phase Diagrams*, Indian Institute of Metals, Calcutta. *TIIM = Transactions of the Indian Institute of Metals*, Indian Institute of Metals, Calcutta.

Cumulative Index

Mn-Cr-Fe.....*BAPD 2*(1) 103-104
Mn-Cu-Fe.....*IMR 28*(1) 23-64
Mn-Fe-N.....*TIIM 37*(3) A-F
Mn-Fe-Ni.....*IMR 28*(1) 23-64
Mn-Fe-Si.....*IMR 28*(6) 309-337
Mn-Fe-Ti.....*IMR 28*(1) 23-64
Mn-Fe-V.....*IMR 28*(1) 23-64
Mn-Mo-Fe.....*IMR 29*(5) 329-375
Mo-C-Fe.....*IMR 30*(3) 109-124
Mo-Co-Fe.....*IMR 29*(5) 329-375
Mo-Co-Ni.....*TIIM 37*(6) 691-698
Mo-Cr-Fe.....*IMR 29*(5) 329-375
Mo-Fe-Mn.....*IMR 29*(5) 329-375
Mo-Fe-N.....*TIIM 37*(4) 308-312
Mo-Fe-Ni.....*IMR 29*(5) 329-375
Mo-Fe-Si.....*IMR 30*(2) 68-84
Mo-Fe-W.....*IMR 26*(4) 213-249
N-Al-Fe.....*TIIM 37*(5) 411-416
N-C-Fe.....*TIIM 37*(4) 293-301
N-Co-Fe.....*TIIM 37*(5) 416-421
N-Cr-Fe.....*TIIM 37*(6) 671-690
N-Fe-Mn.....*TIIM 37*(3) A-F
N-Fe-Mo.....*TIIM 37*(4) 308-312
N-Fe-Nb.....*JAPD 1*(1) 19-26
N-Fe-Ni.....*TIIM 37*(4) 302-307
N-Fe-Si.....*TIIM 37*(6) 665-671
N-Fe-V*..*BAPD 5*(2) 194-198, *5*(5) 444
TIIM 36(4/5) xvii-xxiii
Nb-C-Fe.....*JAPD 2*(2) 131-140
Nb-Cr-Ni.....*JAPD 2*(1) 53-65
Nb-Fe-N.....*JAPD 1*(1) 19-26
Nb-Fe-Si.....*TIIM 37*(5) 421-425D
Nb-O-Zr.....*JAPD 2*(2) 141-148
Ni-Al-Fe.....*IMR 25*(3) 79-93
Ni-Al-Ti.....*BAPD 3*(3) 367-374
Ni-C-Fe.....*IMR 29*(2) 96-121
Ni-Co-Cr.....*TIIM 37*(6) 699-708
Ni-Co-Fe.....*IMR 26*(5) 269-300
Ni-Co-Mo.....*TIIM 37*(6) 691-698
Ni-Cr-Cu.....*JAPD 1*(1) 39-46
Ni-Cr-Cu-Fe.....*BAPD 2*(2) 227
Ni-Cr-F.....*BAPD 2*(1) 89-99
Ni-Cr-Nb.....*JAPD 2*(1) 53-65
Ni-Cr-Ti.....*JAPD 2*(1) 31-37
Ni-Cr-W.....*JAPD 1*(1) 47-58
Ni-Fe-Mn.....*IMR 28*(1) 23-64
Ni-Fe-Mo.....*IMR 29*(5) 329-375
Ni-Fe-N.....*TIIM 37*(4) 302-307
Ni-Fe-S*.....*BAPD 3*(2) 165-172
Ni-Fe-Si.....*IMR 30*(4) 181-208
Ni-Fe-Ti.....*JAPD 1*(1) 59-68
Ni-Fe-V.....*IMR 28*(5) 251-270
Ni-Fe-W.....*IMR 26*(4) 213-249
O-Nb-Zr.....*JAPD 2*(2) 141-148
Pb-Ag-Au.....*BAPD 1*(2) 54-56
Pb-Ag-Bi.....*BAPD 1*(2) 64-67
Pb-Al-Cu.....*BAPD 1*(1) 78
Pb-Sb-Sn.....*BAPD 6*(4) 372-379
S-Al-Zn.....*JAPD 2*(1) 40-42
S-Fe-Ni*.....*BAPD 3*(2) 165-172
Sb-Sn-Pb.....*BAPD 6*(4) 372-379
Se-Al-Zn.....*TIIM 37*(6) 709-714
Si-Al-Fe.....*IMR 26*(3) 133-152
Si-C-Fe.....*JAPD 2*(2) 97-107
Si-Co-Fe.....*IMR 30*(4) 181-208
Si-Fe-Mn.....*IMR 28*(6) 309-337
Si-Fe-N.....*TIIM 37*(6) 665-671
Si-Fe-Nb.....*TIIM 37*(5) 421-425D
Si-Fe-Mo.....*IMR 30*(2) 68-84
Si-Fe-Ni.....*IMR 30*(4) 184-208
Si-Fe-V.....*IMR 27*(5) 289-306
Si-Fe-W.....*IMR 26*(4) 213-249
Sn-Al-Cu.....*BAPD 1*(1) 82-84
Sn-Pb-Sb.....*BAPD 6*(4) 372-379
Ta-C-Fe.....*JAPD 1*(1) 13-18
Te-Al-Zn.....*TIIM 37*(6) 715-719
Ti-Al-Ni.....*BAPD 3*(3) 367-374
Ti-C-Fe.....*JAPD 1*(1) 27-38
Ti-Cr-Fe.....*JAPD 1*(1) 1-12
Ti-Cr-Ni.....*JAPD 2*(1) 31-37
Ti-Cu-Mg.....*BAPD 2*(2) 226
Ti-Fe-Mn.....*IMR 28*(1) 23-64
Ti-Fe-Ni.....*JAPD 1*(1) 59-68
Ti-Fe-W.....*IMR 26*(4) 213-249
V-C-Fe..*BAPD 5*(3) 293-299, *5*(5) 444,
TIIM 36(4/5) ix-xvi
V-Co-Fe.....*IMR 28*(4) 211-227
V-Cr-Fe.....*IMR 28*(5) 251-270
V-Fe-Mn.....*IMR 28*(1) 23-64
V-Fe-N*..*BAPD 5*(2) 194-198, *5*(5) 444,
TIIM 36(4/5) xvii-xxiii
V-Fe-Ni.....*IMR 28*(5) 251-270
V-Fe-Si.....*IMR 27*(5) 289-306
W-C-Fe.....*IMR 30*(6) 259-274
W-Co-Fe.....*IMR 26*(4) 213-249
W-Cr-Fe.....*IMR 26*(4) 213-249
W-Cr-Ni.....*JAPD 1*(1) 47-58
W-Fe-Mo.....*IMR 26*(4) 213-249
W-Fe-Ni.....*IMR 26*(4) 213-249
W-Fe-Si.....*IMR 26*(4) 213-249
W-Fe-Ti.....*IMR 26*(4) 213-249
Zn-Ag-Cd.....*JAPD 2*(1) 12-29
Zn-Ag-Cd-Cu.....*BAPD 2*(2) 228-230
Zn-Al-Mg.....*BAPD 6*(6) 516 ad,
JAPD 2(2) 108-130
Zn-Al-S.....*JAPD 2*(1) 40-42
Zn-Al-Se.....*TIIM 37*(6) 709-714
Zn-Al-Te.....*TIIM 37*(6) 715-719
Zn-Bi-Cd.....*JAPD 2*(2) 69-76
Zr-Nb-O.....*JAPD 2*(2) 141-148

BAPD = *Bulletin of Alloy Phase Diagrams*, ASM International, Metals Park, OH. *IAEA No. 7* = *Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys*, Special Issue No. 7, International Atomic Energy Agency, Vienna (1980). *IMR* = *International Metals Reviews*, The Metals Society, London, and ASM International, Metals Park, OH. *JAPD* = *Journal of Alloy Phase Diagrams*, Indian Institute of Metals, Calcutta. *TIIM* = *Transactions of the Indian Institute of Metals*, Indian Institute of Metals, Calcutta.

Author Index

For Vol. 7, No. 1, 2, 3, 4, 5, and 6.

Abbaschian, G.J.
Bi-Ge System.....7(6) 535-540 ev
Cd-Ge System.....7(2) 167-169 ev
Cr-Ge System.....7(5) 477-485 ev
Cu-Ge System.....7(1) 28-35 ev
Cu-Si System.....7(2) 170-178 ev
Ge-Sb System.....7(3) 219-222 ev
Ge-Sc System.....7(6) 540-543 ev
Sc-Si System.....7(4) 333-336 ev
Si-Y System.....7(5) 485-489 ev
Abriata, J.P.
Cr-Zr System.....7(3) 237-244 ev
Ge-Zr System.....7(1) 43-47 ev
O-Zr System.....7(2) 116-124 ev
Alcock, C.B.
See Itkin, V.P.
Arias, D.
See Abriata, J.P.: Cr-Zr, Ge-Zr
Bolcich, J.C.
See Abriata, J.P.: Ge-Zr
Brewer, M.
Au-Mo System.....7(5) 449-452 ev
Calderwood, F.W.
See Gschneidner, K.A., Jr.
Chakrabarti, D.J.
See Peterson, D.E.: Cu-Th
Chang, Y.A.
Ag-S System.....7(3) 263-269 ev
Pb-S System.....7(4) 374-381 ev
S-Sn System.....7(3) 269-273 ev
Se-Sn System.....7(1) 68-72 ev
Sn-Te System.....7(1) 72-80 ev
Chueh, S.C.
See Moser, Z.
Clark, J.B.
Ba-Mg System.....7(2) 144-149 ev
Mg-Sc System.....7(6) 574-578 ev
Mg-Sr System.....7(2) 149-156 ev
Mg-Te System.....7(3) 244-245 ev
Garcés, J.
See Abriata, J.P.: O-Zr
Gokhale, A.B.
See Abbaschian, G.J.: Cr-Ge, Ge-Sc, Sc-Si, Si-Y
Gschneidner, K.A., Jr.
As-Ce System.....7(3) 276-277 ev
As-Dy System.....7(3) 277-278 ev
As-Er System.....7(3) 278-279 ev
As-Eu System.....7(3) 279-283 ev
As-Gd System.....7(4) 340-341 ev
As-Ho System.....7(4) 341-342 ev
As-La System.....7(4) 342-344 ev
As-Lu System.....7(4) 344-345 ev
As-Nd System.....7(4) 345-347 ev
As-Pr System.....7(4) 347-348 ev
As-Sc System.....7(4) 348-349 ev
As-Sm System.....7(4) 349-350 ev
As-Tb System.....7(4) 351 ev
As-Tm System.....7(4) 352 ev

ad = addendum; ar = article; co = comment; ev = evaluation.

As-Y System .....7(4) 352-353 ev
As-Yb System .....7(4) 353-354 ev
C-Ce System .....7(5) 437-438 ev
C-Dy System .....7(5) 439-440 ev
C-Er System.....7(5) 440-442 ev
C-Eu System .....7(5) 442-443 ev
C-Gd System .....7(5) 443-445 ev
C-Ho System .....7(5) 445-446 ev
C-La System .....7(5) 446-449 ev
C-Lu System .....7(6) 555-556 ev
C-Nd System .....7(6) 557-558 ev
C-Pr System.....7(6) 558-559 ev
C-Sc System.....7(6) 559-560 ev
C-Sm System.....7(6) 560-562 ev
C-Tm System.....7(6) 563-564 ev
C-Y System .....7(6) 564-568 ev
C-Yb System .....7(6) 568-570 ev
Itkin, V.P.
Au-Ba System.....7(4) 336-337 ev
Au-Sr System .....7(5) 452-454 ev
Ba-Ca System .....7(4) 338-340 ev
Ca-Sr System.....7(5) 455-457 ev
Kahan, D.J.
See McAlister, A.J.: Al-Pt
Karakaya, I.
See Thompson, W.T.
Laughlin, D.E.
See Peterson, D.E.: Cu-Th
Liao, P.K.
See Spear, K.E.
Lin, J.-C.
See Chang, Y.A.: Pb-S
Massalski, T.B.
See Okamoto, H.: Au-Cd, Gold-Inert Gas
See also Peterson, D.E.: Au-Pu, Au-Th, Au-U
McAlister, A.J.
Al-Pd System.....7(4) 368-374 ev
Al-Pt System..... 7(1) 47-51
Moser, Z.
Calculation of Ordered Equlibria for the Cadmium-Magnesium System.....7(1) 4-6 ar
Murray, J.L.
Mg-Ti System .....7(3) 245-248 ev
S-Ti System .....7(2) 156-163 ev
Se-Ti System .....7(2) 163-165 ev
Te-Ti System.....7(2) 165-167 ev
See also Spear, K.E.: B-Ti
Nash, A.
See Nash, P.: Nb-Ni
Nash, P.
Cr-Ni System.....7(5) 466-476 ev
Nb-Ni System .....7(2) 124-130 ev
Ni-Ru System .....7(2) 130-133 ev
Nayeb-Hashemi, A.A.
See Clark, J.B.
Neumann, J.P.
Be-Cr System ..... 7(1) 15-18 ev
Cr-Hf System.....7(6) 570-573 ev
Cr-Mn System.....7(5) 457-462 ev
Cr-Nb System .....7(5) 462-466 ev
Cr-Tc System.....7(6) 570-573 ev
Olesinski, R.W.
See Abbaschian, G.J: Bi-Ge, Cu-Ge, Cd-Ge, Cu-Si, Ge-Sb
Okamoto, H
Au-Cd System..... 7(1) 52-67 ev
Be-Cd System ..... 7(4) 355 ev
Be-Tc System.....7(4) 355-356 ev
Be-W System.....7(4) 356-358 ev
Gold-Inert Gas Systems.....7(4) 358-359 ev
See also Brewer, M.: Au-Mo
See also Itkin, V.P: Au-Sr
See also Peterson, D.E.: Au-Pu, Au-Th, Au-U
Paul, E.
See Swartzendruber, L.J.
Pelton, A.D.
Ag-Cs System .....7(3) 222-223 ev
Ag-K System..... 7(3) 223 ev
Ag-Li System.....7(3) 223-228 ev
Ag-Na System.....7(2) 133-136 ev
Ag-Rb System..... 7(1) 19 ev
Au-Cs System ..... 7(1) 19-23 ev
Au-K System..... 7(1) 23-25 ev
Au-Li System .....7(3) 228-231 ev
Au-Na System.....7(2) 136-139 ev
Au-Rb System.....7(2) 139-142 ev
Cu-K System..... 7(3) 231 ev
Cu-Li System.....7(2) 142-144 ev
Cu-Na System..... 7(1) 25-27 ev
Cu-Rb System..... 7(1) 28 ev
Peterson, D.E.
Au-Pu System.....7(6) 525-528 ev
Au-Th System.....7(6) 528-531 ev
Au-U System.....7(6) 532-535 ev
Cu-Th System ..... 7(1) 36-43 ev
Sharma, R.C.
See Chang, Y.A.
Smith, J.F.
See Moser, Z.
Spear, K.E.
B-Cr System.....7(3) 232-237 ev
B-Mn System.....7(6) 543-549 ev
B-Ti System.....7(6) 550-555 ev
Swartzendruber, L.J.
Fe-Nb System .....7(3) 248-254 ev
Fe-Ta System .....7(3) 254-259 ev
Tanner, L.E.
See Okamoto, H.: Be-Cd, Be-Tc, Be-W
Thompson, W.T.
Ag-Co System .....7(3) 259-263 ev
Ag-Ir System.....7(4) 359-360 ev
Ag-Os System .....7(4) 360-362 ev
Ag-Rh System.....7(4) 362-365 ev
Ag-Ru System.....7(4) 365-368 ev
Venkatraman, M.
See Neumann, J.P.
Versaci, R.
See Abriata, J.P.: O-Zr
Wriedt, H.A.
Al-N System ..... 7(4) 329-333 ev

ad = addendum; ar = article; co = comment; ev = evaluation.